

ESSENTIAL SOLUTIONS CATALOG









PROVIDING STORAGE SOLUTIONS SINCE 1901.







Our Mission

Be the storage system provider of choice by delivering the best possible workspace solutions for our customers. As a familyrun business with a rich heritage, we are passionately committed to helping our dealers, distributors and endusers store and organize their products while maximizing workspace.

Our Vision

To become the market leader in each of our served markets. This leadership will be captured by providing our dealers, distributors and end-users high-quality, innovative, cost-effective and environmentally friendly products. We will add value to these products by providing unmatched customer service through our commitment to customer satisfaction.

THE LYON ADVANTAGE

- OVER 100 YEARS OF COMMITMENT to helping our dealers, distributors and end-users store and organize their products while maximizing workspace
- OVER 100 STORAGE SOLUTION EXPERTS throughout the USA giving immediate attention and support to every project
- **LIFETIME PRODUCT WARRANTIES** against defects in materials and workmanship for the life of the product
- FOUR DOMESTIC PLANTS centrally located in the USA with four warehouses across the country providing fast shipping at cost effective rates, while reducing fossil fuel emissions
- OVER 6,000 PRODUCTS AVAILABLE IN STOCK, ready to ship from four distribution centers throughout the USA
- LEED/GREEN-COMMITTED compliance and products provide environmental stewardship
- LYON PAYS THE FREIGHT, dealers and distributors get their orders with Lyon paying for the freight*
- **NO HASSLE CLAIMS**, any Lyon product damaged in shipment by a Lyon designated carrier will be returned. Lyon will ship a replacement product for free.**

*Read the Dealer and Distributor Policy and Discount Schedule- eff. 9/1/2010 for details

**Damage must be noted on delivery receipt and damaged product refused at time of delivery.

All specifications in this catalog are subject to change without notice.





PRODUCT WARRANTIES

Most Lyon products are warranted against defects in materials and workmanship for the life of the product when used in accordance with Lyon's specifications and/or operating instructions. This warranty applies to the original purchaser only and the purchaser's sole remedy under this warranty is limited to the repair and replacement of the products and specifically excludes





consequential, incidental or other damages directly or indirectly resulting from failure or loss of use of, or by, Lyon products.

Damage from deliberate destruction and vandalism is excluded. For all Lyon product line warranties, check out our website at http://www.lyonworkspace.com/warranty.htm.

TABLE OF CONTENTS

Storage Solutions

4-11
12-17
18-19
20
21-23
24
25-31
32-35
36-41



"Made in the USA" logo highlights the products that are manufactured in the USA with US domestic steel. Keeping manufacturing jobs in America.

Locker Solutions

Steel Lockers	42-4	ļΖ
Locker Accessories	45-4	16
Steel Lockers	.47-4	31

Workspace Solutions

Tool Transporters / Cabinet Benches	49
Cabinets	50
All-Welded Carts	5
Work Benches & Work Stations	52-57
Shop Desks and Cabinets	5
Stools, Work Stools & Trolleys	59
Ergonomic Seating & Shop Stools	60
Ergonomic Seating	. 61-62
Guard Rail Safety Systems	63

GOING GREEN AT LYON



Lyon is committed to developing products and programs that positively impact the environment. Whether the goal is creating a healthier environment, lowering operating costs, reducing emissions or maintaining an enviro-friendly product delivery system, Lyon is the clear cut leader in green initiatives within its industry:

- Lyon's new antimicrobial paint finish fights bacterial, fungal and mold growth around the clock on locker surfaces in public facilities like schools and hospitals
- Lyon's centrally located manufacturing facilities near Chicago are within 500 miles of many metro areas for fuel-efficient factory-direct truck deliveries to major markets throughout the Midwest and Midsouth
- Four outlying regional distribution centers bring Lyon products close to customers throughout the U.S.A. with inventory replenishments handled primarily via rail to lower costs and minimize fuel consumption

LEED Accredited Points:

Sustainable Sites

Reduced Site Disturbance, Development Footprint

Credit 5.2

Materials & Resources

Recycled Content

MR Credits 4.1 and 4.2

Regionally-Sourced Products

MR Credits 5.1 and 5.2

Indoor Environmental Quality

Low-Emitting Materials Painting, VOC-compliant Paints and Coatings

Credit 4.2








MDC Product Features

High Density Storage Solution

- Full extension, 400 lb. capacity
- Limited lifetime warranty
- · Quick Ship program on ALL cabinets

Drawer Heights

These color shades quickly identify relative drawer sizes in the illustrations on pages 6-7.



10-7/8"

11-3/4"

12-1/2"

13-5/16"

14-1/16"

Organized Storage

Designed for Efficiency, Engineered for Strength!



Housing Heights

140

150

160

170

180



Extra

Large

26-7/8" High



Table 30-1/8" High



10-1/8"

10-7/8"

11-3/4"

12-1/2"

13-1/4"

6-1/4"

33-1/4" High



Mid-Range 37-3/16" High



44-1/4" High



Eye-Level 59-1/4" High

Housing Footprints

Standard width is shown below and in this catalog. For additional widths, please refer to the MDC Catalog.



5 widths

Slender = 22-13/16" w Standard = 30" w

Medium = 36-3/8" w Extra = 44-3/8" w

Double = 59-5/8" w



For the full line of Modular Drawer Cabinets and Accessories, ask your dealer for the expanded MDC Catalog, or go to lyonworkspace.com to download a copy.



MDC CATALOG FEATURES:

- 250 Pre-Engineered Cabinets
- Unlimited Customization
- · Easy Ordering Guides

PLUS ADDITIONAL PRODUCTS:

Drawer-Door Cabinets Shelf Cabinets Overhead Cabinets

Drawers in Shelving Work Bench Cabinets **Computer Cabinets** Mobile Cabinets/Workstations Spare Parts List







Pre-Engineered MDC Ordering Guide

Step 1

Select Housing (see pages 6-7)

Determine which cabinet meets your workspace requirements. Choose the pre-engineered catalog number designated to that description. Example = **680C**

Step 2

Select Housing Color (see below)
Enter **LETTER** designation

Step 3

Select Drawer Color (see below)
Enter **LETTER** designation

Step 4

Select Locking System (see below)

Enter **250** for **SINGLE** drawer access

Enter 251 for MULTIPLE drawer access

Step 5

Select Layout Kit Configuration (see pages 8-9)

LEAVE BLANK for no layout kits Enter **3** for layout kits factory installed

4 Cabinet/Drawer-Door Color Combinations



The catalog number for the pre-engineered cabinet shown in the illustration above features a "Wedgewood Blue" housing with "Dove Gray" drawers, single drawer access locking system and layout kits installed would be:

BD250680C3

Additional Examples



Different Locking Systems

Single Drawer Access 250 Cabinet Series

Automatically locks unopened drawers when one drawer is pulled out, preventing accidental tipping.

The only "True-Interlock" in the industry.



Multiple Drawer Access

251 Cabinet Series

Provides access to multiple drawers, and is an economical alternative, but requires proper anchoring to prevent accidental tipping.

Both styles include a keyed lock with 2 keys, pre-punched anchoring holes, and fastener kit.

Cabinets can be anchored to each other, to a wall, or to the floor.



Desk


(26-7/8" High)





Modular Drawer Cabinets


Pre-Engineered Modular Drawer Cabinets — Standard 30" Wide

40 J 50 H 50 E 80 P 5 drawers with 144 compartments 270B









NEED
NORE OPTIONS?
Ask your Lyon dealer for a
Ask your Lyon dealer for a

Counter

(44-1/4" High)





Eye-Level


Eye-Level (59-1/4" High)

(59-1/4" High)

Modular Drawer Cabinets

Pre-Engineered Modular Drawer Cabinets — Standard 30" Wide

See page 6 for Drawer Table




17 drawers with 591 compartments

680A



12 drawers with 240 compartments 6801005



11 drawers with


269 compartments 680F



11 drawers with 192 compartments 6801006

10 drawers with 180 compartments

680C



10 drawers with 168 compartments 6801009


9 drawers with 144 compartments 6801011



9 drawers with 140 compartments 6801012

8 drawers with 184 compartments

680D



8 drawers with 104 compartments 6801014

100 100

7 drawers with 80 compartments

6801015

140

7 drawers with 77 compartments 680G



6 drawers with 64 compartments

6801016



Base shelf and two (2) adjustable shelves behind lockable swing door

2516801022



Base shelf and two (2) adjustable shelves 2516801023

Eye-Level (59-1/4" High)





Modular Drawer Cabinets

Pre-Engineered Drawer Layout Kits Standard 30"Wide

Layout kits establish multiple sized compartments in various sized drawers, using partitions and dividers.





Usable Height


To identify compartment height available, locate the "Usable Height" dimension for the specific drawer number listed in the chart below.

Drawer Number	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
Drawer Size	SMA	LL	MED	NUM	LAF	IGE	EXTRA LARGE								

Compartment Size

To identify an individual compartment size, locate the numbers in the illustrations and convert them to the dimensions listed in the chart.

Compartment Size	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Dimension	1-7/8"	2-11/16"	3-1/2"	4-1/4"	5-1/16"	5-7/8"	6-11/16"	7-1/2"	8-1/4"	9-1/16"	9-7/8"	10-11/16"	11-1/2"	12-1/4"	13-1/16"
Compartment Size	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Dimension	13-7/8"	14-11/16"	15-1/2"	16-1/4"	17-1/16"	17-7/8"	18-11/16"	19-1/2"	20-1/4"	21-1/16"	21-7/8"	22-11/16"	23-7/16"	24-1/4"	25-1/16"



A - 2 compartments **Cat. No.** Drawers **240A45** 40 & 50 **240A67** 60 & 70 **240A89** 80 & 90

100 +

240A100




AB - 3 compartments **Cat. No.** Drawers **240AB45** 40 & 50 **240AB67** 60 & 70 **240AB89** 80 & 90 **240AB100** 100+



AC - 4 compartments **Cat. No.** Drawers **240AC45** 40 & 50 **240AC67** 60 & 70 **240AC89** 80 & 90 **240AC100** 100+



B - 4 compartments **Cat. No.** Drawers **240B45** 40 & 50 **240B89** 80 & 90 **240B100** 100+




M - 6 compartments
Cat. No. Drawers
240M45 40 & 50
240M67 60 & 70
240M89 80 & 90
240M100 100+



D - 8 compartments
Cat. No. Drawers
240D45 40 & 50
240D67 60 & 70
240D89 80 & 90
240D100 100+



HH - 8 compartments
Cat. No. Drawers
240HH45 40 & 50
240HH67 60 & 70
240HH89 80 & 90
240HH100 100+





AE - 10 compartments **Cat. No.** Drawers **240AE45** 40 & 50 **240AE67** 60 & 70 **240AE89** 80 & 90 **240AE100** 100+



Cat. No. Drawers **240L45** 40 & 50 **240L67** 60 & 70 **240L89** 80 & 90 **240L100** 100+





Modular Drawer Cabinets

Pre-Engineered Drawer Layout Kits - Standard 30"Wide

See page 8 for Compartment Size Table



R - 12 compartments
Cat. No. Drawers

240R45 40 & 50 240R67 60 & 70 240R89 80 & 90 240R100 100+



AG - 15 compartments

 Cat. No.
 Drawers

 240AG45
 40 & 50

 240AG67
 60 & 70

 240AG89
 80 & 90

 240AG100
 100+



P - 16 compartments

 Cat. No.
 Drawers

 240P45
 40 & 50

 240P67
 60 & 70

 240P89
 80 & 90

 240P100
 100+



AH - 18 compartments

Cat. No. Drawers 240AH45 40 & 50 240AH67 60 & 70 240AH89 80 & 90 240AH100 100+



K - 20 compartments **Cat. No.** Drawers

240K45 40 & 50 240K67 60 & 70 240K89 80 & 90 240K100 100+



E - 24 compartments

 Cat. No.
 Drawers

 240E45
 40 & 50

 240E67
 60 & 70

 240E89
 80 & 90

 240E100
 100+



G - 25 compartments

Cat. No. Drawers **240G45** 40 & 50 **240G67** 60 & 70 **240G89** 80 & 90 **240G100** 100+



AF - 30 compartments

 Cat. No.
 Drawers

 240AF45
 40 & 50

 240AF67
 60 & 70

 240AF89
 80 & 90

 240AF100
 100+



AJ - 32 compartments

 Cat. No.
 Drawers

 240AJ45
 40 & 50

 240AJ67
 60 & 70

 240AJ89
 80 & 90

 240AJ100
 100+



J - 32 compartments

 Cat. No.
 Drawers

 240J45
 40 & 50

 240J67
 60 & 70

 240J89
 80 & 90

 240J100
 100+



H - 36 compartments

Cat. No. Drawers **240H45** 40 & 50 **240H67** 60 & 70 **240H89** 80 & 90 **240H100** 100+



MM - 40 compartments

Cat. No. Drawers 240MM45 40 & 50 240MM67 60 & 70 240MM89 80 & 90 240MM100100+



TT - 48 compartments

Cat. No. Drawers **240TT45** 40 & 50 **240TT67** 60 & 70 **240TT89** 80 & 90 **240TT100** 100+



CC - 16 plastic bins 6"w x 6"d & partition

Cat. No. Drawers **240CC45** 40 & 50 **240CC67** 60 & 70



BC - 24 plastic bins 3"w x 6"d, 6"w x 6"d & partition

Cat. No. Drawers **240BC45** 40 & 50 **240BC67** 60 & 70



BB - 32 plastic bins 3"w x 6"d & partition

Cat. No. Drawers **240BB45** 40 & 50 **240BB67** 60 & 70



BA - 48 plastic bins 3"w x 3"d, 3"w x 3"d & partition

Cat. No. Drawers **240BA45** 40 & 50 **240BA67** 60 & 70



AA - 64 plastic bins 3"w x 3"d, " & partition

Cat. No. Drawers **240AA45** 40 & 50 **240AA67** 60 & 70



DD - 80 compartments 2-1/2"w x 1-7/8"d 4 quarter trays

Cat. No. Drawers **240DD45** 40 & 50



EE - 140 compartments 1-3/16"w x 1-7/8"d 4 quarter trays

Cat. No. Drawers **240EE45** 40 & 50








Modular Drawer Cabinets


Pre-Engineered Overhead Units Standard 30" Wide


- Provides additional bulk storage above cabinets
- Flat bottom attaches directly to cabinet top below (no drilling fasteners supplied)
- Shipped pre-assembled to lower cabinet if ordered together



Standard (30" Wide)













Pre-Engineered Work Benches

- Kit includes panel leg, adjustable footrest, and work surface
- All work surfaces are 30" deep
- · Kit can be assembled to either side of cabinet
- · Field installed only

Step 1 - Modular Drawer Cabinets

Choose one of the pre-engineered cabinets from our Desk High, Table High, Bench High or Mid-Range High selections on page 6.

Note: Consider cabinets with 251 locking (Multiple Drawer Access), since tipping is highly unlikely.

Step 2 - Work Bench Kit

Match the cabinet to the cabinet height of the kits in the table to the right. Choose the work surface for your work bench. Note: The part number chosen in Step 1 combined with the part number chosen in Step 2, creates a Work Bench.

Laminate = Particle board core with plastic laminate cover.



- · Ideal for light-duty applications
- 180° soft edge, chip resistant
- Color = Putty
- 1-5/8" Thick
- 800 lb. capacity

Shop Top = Medium density fiberboard core with particle board surface



- 40% harder work surface than hardwood
- · Resistant to conventional liquids
- 1-3/4" Thick
- 1,100 lb. capacity

Steel = 12 Gauge formed panel with reinforcing channels.



- Ideal for heavy-duty maintenance work
- 1-3/4" Thick
- 1,700 lb. capacity

Hardwood = Solid-laminated with rounded edges and sealed finish.



- Ideal for precision work
- Sealed Kiln-dried hardwoods
- 3/16" radius edges
- 1-3/4" Thick
- 5,000 lb. capacity

Stainless = 16 Gauge formed stainless steel cover over hardwood.



- For the ultimate workbench application
- 1-13/16" Thick
- 5,000 lb. capacity

Custom lengths available on special request.



Please note: catalog numbers do not include cabinet. (see step 1).

Work Surface Height	numbers do not include ca Cat. No.	Work Surface
- Violit bullace Height	251270WB1001	60"w Laminate
	251270WB1002	60"w Shop Top
Desk (28-5/8" High)	251270WB1003	60"w Steel
Desk (26-5/6 Tilgil)	251270WB1004	60"w Hardwood
	■ 251270WB1005	60"w Stainless
	251270WB1011	72"w Laminate
	251270WB1012	72"w Shop Top
	251270WB1013	72"w Steel
	251270WB1014	72"w Hardwood
	251270WB1015	72"w Stainless
	251310WB1001	60"w Laminate
	251310WB1002	60"w Shop Top
Table (31-7/8" High)	251310WB1003	60"w Steel
Table (61 7/6 Tilgil)	251310WB1004	60"w Hardwood
	251310WB1005	60"w Stainless
	251310WB1011	72"w Laminate
	251310WB1012	72"w Shop Top
	251310WB1013	72"w Steel
	251310WB1014	72"w Hardwood
	251310WB1015	72"w Stainless
	251350WB1001	60"w Laminate
	251350WB1002	60"w Shop Top
Bench (35" High)	251350WB1003	60"w Steel
	251350WB1004	60"w Hardwood
8 8	251350WB1005	60"w Stainless
	251350WB1011	72"w Laminate
	251350WB1012	72"w Shop Top
	251350WB1013	72"w Steel
	251350WB1014	72"w Hardwood
	251350WB1015	72"w Stainless
	251400WB1001	60"w Laminate
MILD (COULT I)	251400WB1002	60"w Shop Top
Mid-Range (39" High)	251400WB1003	60"w Steel
	■ 251400WB1004	60"w Hardwood
\$ 5 6 3	251400WB1005	60"w Stainless
	251400WB1011	72"w Laminate
	251400WB1012	72"w Shop Top
	251400WB1013	72"w Steel
	251400WB1014	72"w Hardwood
	251400WB1015	72"w Stainless
Nolar Colection		

Color Selection

Determine which color you desire and add the two (2) letter digits as a prefix to the Work Bench chosen.

DD	PP	BB	HH	IJ	KK	AA
Dove Gray	Putty	Wedgewood Blue	Roaring Red	Forest Green	Vulcan Black	Ash





All-Welded Storage Cabinets

All-Welded Storage Cabinets

- All-welded 14-gauge steel construction provides a payload capacity of 1,450 lbs. per shelf
- Heavy-duty steel doors have a padlock hasp and heavy-duty ⁵/₁₆" brass-pin hinge plates securely welded to each door
- Shelves bolt securely into welded keyhole slots and can be repositioned on 3" centers
- Secure, 3-point locking system on doors features %" latch rod and %" latch plate
- 4" high legs welded to cabinet forklift base allows for easy movement anywhere in your facility





All-Welded Shelf Cabinets

WxDxH	No. of Shelves	Shelf Capacity	Standard Doors Cat. No.	Diamond Perf Doors Cat. No.	Extra Shelf
36" x 21" x 82"	4	1,450 lbs.	1114	1114DP	11161
36" x 24" x 82"	4	1,450 lbs.	1115	1115DP	11191
48" x 24" x 82"	4	1,450 lbs.	1120	1120DP	1161
60" x 24" x 82"	4	1,450 lbs.	1145	1145DP	1146

Note: Cabinet heights include 4"h legs









All-Welded Counter High and Eye-Level Shelf Cabinets

WxDxH	No. of Shelves	Shelf Capacity	Cat. No.	Extra Shelf
36" x 21" x 64"	3	1,450 lbs.	1112	11161
36" x 24" x 64"	3	1,450 lbs.	1113	11191
36" x 21" x 46"	2	1,450 lbs.	1110	11161
48" x 24" x 64"	3	1.450 lbs.	1147	1161

Note: Cabinet heights include 4"h legs

All-Welded Combination Cabinets

Combines garment with package and supply item storage in one convenient unit. Includes fixed, full-width top shelf.

- Three half-shelves adjustable on 3" centers
- · Includes coat rod to accommodate garments on hangers

Color Selection								
In Stock DD Dove Gray	Also Available BB Wedgewood Blue KK Vulcan Black PP Putty							

WxDxH	No. of Shelves	Shelf Capacity	Cat. No.	Extra Half Shelf
36" x 24" x 82"	1 full / 4 half	1,450 lbs.	1121	1162
48" x 24" x 82"	1 full / 4 half	1,450 lbs.	1148	1165
60" x 24" x 82"	1 full / 4 half	1,450 lbs.	1149	1166

Note: Cabinet heights include 4"h legs









All-Welded Mobile Shelf Cabinet

Extra wide and 24" deep, also function as storage closets on the shop floor, offering:

- · All-welded 14-gauge construction
- · Load capacity of 1,450 lbs. per shelf
- · Full-width shelves are adjustable on 3" centers
- 6" polyolefin casters 2 swivel with brakes; 2 rigid without brakes. 700 lb. capacity each, 2,800 lb. total
- Overall Size: 60"w x 24"d x 67¹/₂"h

No. 1170

Extra Shelf for 1170

No. 1146

Optional black

Duraflex vinyl matting No. 910



DD Dove Gray

Also Available
BB Wedgewood Blue

KK Vulcan Black

PP Putty









Back View









- Ball bearing drawer slides capacity of 100 lbs. each
- Internal shelf is adjustable on 3" centers capacity of 1,450 lbs.
- Heavy-duty 10-gauge steel top includes back and end stops; accommodates vise installation when drilled and bolted (vise not included)
- Smooth-rolling, 8" diameter, 2" wide roller bearing Phenolic casters (2 fixed, 2 swivel-braking) provide a total load capacity of 3,600 lbs.
- Steel doors feature a padlock hasp, a springactuated pull handle that holds the doors in the closed position, and two (2) heavy-duty ⁵/₁₆" brass pin hinge plates welded to each door
- · Cabinet, Dove Gray; Drawers, Cardinal Red

No. DD900 - with Drawers

No. DD901 - without Drawers

Dimensions For Components

Difficusions For Compo	IIICIIIG		
Description	Width	Depth	Height
Overall	48"	26"	36"
5 Drawers	22%"	17¾"	21/6"
1 Drawer	22%"	17¾"	6"
Inside Top Shelf	17¾"	18½"	11"
Inside Lower Shelf	17¾"	18½"	10"
Rear Top Shelf	47¾"	5¼"	11¾"
Rear Lower Shelf	47¾"	5¼"	12¼"







All-Welded Clearview and 4-Door Shelf Cabinets

Quickly evaluate supply inventory without even opening the doors. Create secure storage for 4 people in a single cabinet.

- · All-welded, 14-gauge construction
- Clearview cabinets feature heavy-duty ³/₁₆" thick Lexan® door inserts
- 14-gauge flanged shelves are adjustable on 3" centers
- Rugged cast iron handle features a %" thick padlock hasp
- Three heavy-duty 5/16" brass pin hinge plates welded to each door
- Additional shelves are available for customized configurations
- 4" high welded on legs
- Forklift base allows for easy movement anywhere in your facility







Clearview Cabinet

- Includes four full-width shelves
- Overall Size: 48"w x 24"d x 82"h

No. 1120V

Extra 48"w Shelf for 1120V

No. 1161



Clearview Shelf/Bin Cabinet

- Includes three full-width shelves
- 16 large (8½"w x 14¾"d x 7"h) plastic parts bins
- Overall Size: 36"w x 21"d x 82"h

No. 1123V

Extra 36"w Shelf for 1123V

No. 11161



Multi-Door Cabinet

- Includes one full-width shelf per compartment
- Overall Size: 48"w x 24"d x 82"h

No. 11204D



All-Welded Storage Cabinets



All-Welded Cabinets with Removable Bins

- All-welded 14-gauge steel construction delivers secure storage behind heavy-gauge steel doors
- Evenly distributed load capacity: 1,450 lbs. per shelf
- 3-point locking system featuring %" latch rods and %" latch plates
- 4" high welded on legs
- Forklift base allows for easy movement anywhere in your facility



Plastic bins shipped loose in boxes within cabinet

Color Selection In Stock DD Dove Gray BB Wedgewood Blue KK Vulcan Black PP Putty



Features



Removable plastic parts bins increase storage density, speed selection and retrieval. Corrosion resistant, and impervious to most solvents, Safety Yellow plastic bins easily clip on and off racks welded to cabinets and doors.

Bin Storage Cabinet

- Includes 136 small ($4\frac{1}{8}$ "w x $5\frac{3}{8}$ "d x 3"h) plastic bins on doors
- 45 large (81/4"w x 143/4"d x 7"h) plastic bins inside cabinet
- Overall Size: 48"w x 21"d x 82"h

No. 1136



Combination/Bin Cabinet

- Includes one full-width shelf
- 3 half-shelves adjustable on 3" centers with 50 small (41/8" w x 53/8" d x 3"h) plastic bins on door
- 14 large (81/4"w x 143/4"d x 7"h) plastic bins inside cabinet
- Overall Size: 36"w x 21"d x 82"h

No. 1122



Bin Storage Cabinet

- Includes 100 small (41/8"w x 53/8"d x 3"h) plastic bins on doors
- 36 large (81/4"w x 143/4"d x 7"h) plastic bins inside cabinet
- Overall Size: 36"w x 21"d x 82"h

No. 1124



Shelf/Bin Cabinet

- Includes 3 full-width shelves, adjustable on 3" centers
- 86 small (41/8"w x 53/8"d x 3"h) plastic bins on doors
- 16 large (8¼"w x 14¾"d x 7"h) plastic bins inside cabinet
- Overall Size: 36"w x 21"d x 82"h

No. 1156





All-Welded Storage Cabinets

All-Welded Deep-Door Cabinets With Removable Tilt-Bins

- All-welded 14-gauge steel construction delivers secure storage behind heavygauge steel doors
- Evenly distributed load capacity: 1,450 lbs. per shelf
- 3-point locking system featuring % " latch rods and % " latch plates
- 4" high welded on legs
- Forklift base allows for easy movement anywhere in your facility

Color Selection

In Stock

DD Dove Gray

Also Available
BB Wedgewood Blue

KK Vulcan Black

PP Putty



Four-Shelf, 24 Bin Cabinet

- 4 full-width shelves adjustable on 3" centers
- 12 removable tilt-bins in each door
- Overall Size: 39"w x 27"d x 76"h

No. 1125



Two-Shelf, 40 Bin Cabinet

- 2 full-width shelves adjustable on 3" centers
- 16 large removable plastic bins (8½"w x 14¾"d x 7"h) in cabinet
- 12 removable tilt-bins in each door
- Overall Size: 39"w x 27"d x 76"h

No. 1126



Four-Shelf, 12 Bin Cabinet

- 4 full-width shelves adjustable on 3" centers
- 6 removable tilt-bins and 3 adjustable on 51/2" centers (75 lb. capacity) shelves in each door [Drawer case unit not included]
- Overall Size. 39"w x 27"d x 76"h

No. 1127



Four-Shelf, 36 Bin Cabinet

- 1 full-width shelf, 3 half-shelves adjustable on 3" centers
- 12 large removable plastic bins
- 12 removable tilt-bins in each door
- Overall Size, 39"w x 27"d x 76"h

No. 1128







All-Welded Maintenance Centers with Modular Drawers

Payload Capacity: 400 lbs. per drawer!

Safely store tools, equipment, maintenance and repair parts, even personal effects. There's even a slide-out work surface for light maintenance and repair work.

- · All-welded 14-gauge steel construction
- 400 lb. drawer capacity
- · Forklift accessible base
- Ball-bearing drawer suspension





IMPORTANT: Other drawer sizes are available. Contact Lyon at 1-800-323-0082 for details.



39" Wide Cabinet with Modular Drawers

- One modular drawer 31½"w x 2½"h* with latch-in/latch-out & flip-up drawer cover kit that provides a work surface for light-duty maintenance work
- 1 modular drawer, 311/2"w x 3"h*
- 2 modular drawers, 31½"w x 45%"h*
- Hinged lock bar on modular drawers
- 2 adjustable shelves, 39"w
- 8 tilt bins (15"w x 5"d x 51/2"h) per door
- 2 shelves per door
- Overall Size: 39"w x 361/2"d x 76"h

No. 1104

*Interior drawer dimensions, all drawers are 251/8"d

60" Wide Cabinet with Modular Drawers

- 1 modular drawer. 391/2"w x 21/4"h*
- 1 modular drawer, 391/2"w x 3"h*
- 2 modular drawers, 391/2"w x 91/8"h*
- 400 lb. capacity roll out shelf
- Hinged lock bar on modular drawers
- 18 tilt-bins (15"w x 5"d x 5½"h)
- 52 small plastic bins (41/8"w x 53/8"d x 3"h)
- 1 shelf/coat rod (14"w x 211/2"d)
- Overall Size: 60"w x 36½"d x 60"h

No. 1102

*Interior drawer dimensions, all drawers are 251/8"d





Economical Storage Cabinets

1000 Series Storage Cabinets

- · Contemporary styling with rounded front corners
- Three-point door locking system
- Polished chrome plated handles w/built-in grooved key lock
- Durable heavy-gauge steel construction
- · Shelf adjustments on 2" centers



Note: Reinforced shelves boost the load capacity of standard 36"w shelves to 230 lbs. Contact Customer Service at 1-800-323-0082 for special ordering information.

Color Selection

In Stock
PP Putty

Also Available

DD Dove Gray

RR

BB Wedgewood Blue

KK Vulcan Black



WxDxH	No. of Shelves	Shelf Capacity	Set Up Cat. No.	K.D. Cat. No.	Extra Shelf	Reinforced Shelf
36" x 18" x 42"	2	180 lbs.	1042	1043	1055-1	1071-1
36" x 21" x 42"	2	180 lbs.	1040	1041	1050-1	1070-1
36" x 24" x 42"	2	180 lbs.	1045	1046	1060-1	1072-1
48" x 24" x 42"	2	325 lbs.	1035SU	1035	1058-1	N/A

Counter High Cabinets

- Provides 24 cu. ft. of storage space
- · Waist high

Standard Cabinets

- A virtual storeroom of space holds up to 2,000 total lbs.
- · Double doors permit full access to all areas of cabinet

WxDxH	No. of Shelves	Shelf Capacity	Set Up Cat. No.	K.D. Cat. No.	Extra Shelf	Reinforced Shelf
36" x 18" x 78"	4	180 lbs.	1080	1081	1055-1	1071-1
36" x 21" x 78"	4	180 lbs.	1000	1001	1050-1	1070-1
36" x 24" x 78"	4	180 lbs	1090	1091	1060-1	1072-1
48" x 24" x 78"	4	325 lbs.	1031SU	1031	1058-1	N/A





Combination Wardrobe Cabinets

- 4 side-shelves with 2" adjustability and 5 compartments maximize storage space
- Full-width shelf at top for hats and other articles
- · Coat rod below shelf
- · Smooth, snag-free finished interior

WxDxH	No. of Shelves	Set Up Cat. No.	K.D. Cat. No.	Extra Half Shelf
36" x 18" x 78"	1 full / 4 half	1088	1089	1057
36" x 21" x 78"	1 full / 4 half	1010	1011	1052
36" x 24" x 78"	1 full / 4 half	1098	1099	1062
48" x 24" x 78"	1 full / 4 half	1033SU	1033	1063

Color Selection

In Stock
DD Dove Gray
PP Putty

Also Available
BB Wedgewood Blue





Color Selection
In Stock

DD Dove Gray
PP Putty

Economical Storage Cabinets



1000 Series Visible Storage Cabinets

- Plexiglas® windows on both doors provides visual inventory without opening them
- Three-point door locking system provides outstanding security
- Shelf reinforcements increase shelf capacity to 230 lbs.

WxDxH	No. of Shelves	Shelf Capacity	Cat. No. Set Up	Cat. No. K.D.	Extra Shelf	Reinforced Shelf
36" x 18" x 78"	4	180 lbs.	1080V	1081V	1055	1071*
36" x 24" x 78"	4	180 lbs.	1090V	1091V	1060-1	1070*

* 4 pack

1000 Series Multi-Purpose Storage Cabinets

- Three-point door locking system
- Shelf adjustments on 2" centers
- Drawers glide on ball bearing rollers





		No. of		Set Up	K.D.
	WxDxH	Shelves	Drawers	Cat. No.	Cat. No.
36	6" x 24" x 78"	1 full w/coat rod / 3 half	(2) 15¾"w x 20"d x 5"h (1) 15¾"w x 20"d x 13½"h	1026	1012
36	6" x 24" x 78"	1 full w/coat rod / 3 half	(2) 15¾"w x 20"d x 13½"h	1027	1013
36	6" x 24" x 78"	1 full w/coat rod / 3 half	(3) 15¾"w x 20"d x 9"h	1028	1014
36	6" x 24" x 78"	1 full w/coat rod / 3 half	(4) 15¾"w x 20"d x 5"h	1029	1015

Economical Storage Cabinets

Quality construction and appearance for a great value!

- 120 lb. shelf capacity
- Shelf adjustments on 2" centers
- Three-point door locking system
- Polished chrome plated handles with built-in grooved key lock

WxDx	Н	No. o Shelve	_	Cat. I	Vo.	Extra Shelf	
36" x 18" x	72"	4		VT5	00	1055-1	
36" x 18" x	42"	2		VT5	09	1055-1	









Visible Storage Cabinets

- · All-welded construction
- Five pre-engineered configurations featuring shelves, bins and shelf-bin combinations
- Provide secure, visible storage for quick inspection without needless opening
- Full length doors feature a three-point latch design and cam-bar system
- Chrome plated handle will accept a padlock (not included) or accommodate flat key lock
- Shelves bolt into place and are adjustable on 2" centers with payload capacity of 300 lbs. each
- Plastic Bins, impervious to most solvents and corrosives, clip on and off galvanized Pick Racks bolted to cabinet back
- · Shelves are included, but not installed
- All bins shown are 5%"w x 11%"d x 5"h with capacity of 285 cu. in.

ACCESSORIES AND RELATED PRODUCTS

No. 1137-1 - 36"w x 18"d Shelf **No. 1138-1** - 36"w x 21"d Shelf **No. 1142** - 18"d x 4"h Base

No. 1143 - 21"d x 4"h Base

No. 1140-3 - 36"w Galvanized Pick Rack

No. 78203 - $4\text{"w} \times 4\text{"d} \times 2\text{"h}$ Plastic Bin **No. 78206** - $4\text{\%"w} \times 7\text{\%"d} \times 3\text{"h}$ Plastic Bin

No. 78209 - 5\%"w x 11\%"d x 5"h Plastic Bin



Description	No. of Shelves	No. of Bins	Cat. No.
18" Deep Cabinet	2	15	1152
18" Deep Cabinet with 4" base	2	15	1152B
18" Deep Cabinet	4	0	1150
18" Deep Cabinet with 4" base	4	0	1150B
18" Deep Cabinet	0	45	1154
18" Deep Cabinet with 4" base	0	45	1154B
21" Deep Cabinet	2	15	1153
21" Deep Cabinet with 4" base	2	15	1153B
21" Deep Cabinet	4	0	1151
21" Deep Cabinet with 4" base	4	0	1151B

Color Selection

In Stock

DD Dove Gray

Also Available
BB Wedgewood Blue


PP Putty

High Visibility Storage Cabinet

- Three walls of mesh for extra visibility
- Reinforcing K-brace welded to the door frame delivers added strength and proper door alignment
- 13-gauge diamond shaped steel mesh stands up to heavy use
- Adjustable shelves bolt into holes spaced from 8%" at bottom to 8%" from top
- Full length door has three-point latching system with cam-locking system and chrome plated handle
- Overall Size: 24"w x 21"d x 78"h

No. 1130











36" Wide 8000 Series Storage Shelving Units

All pre-engineered sections are 36" wide, 84" high, with shelves adjustable on 1½" centers. For double row, back-to-back installations, use economical open back shelving on one side, common backs of closed shelving sections on the other side. Some assembly required.

Open Shelves - high visibility is ideal for storing packaged stock, and other material without assigned shelf locations. Lapped and welded shelf corners provide added strength and durability.

Closed Shelves protect packages and unboxed items from dust, sunlight and other contaminants. Divide work or storage space into separate areas.





No. of	No. of 36"w x 12"d x 84"h		36"w x 18"d x 84"h 36"w x 24"d x 84"h		"d x 84"h	36"w x 12"d x 84"h 36"w x 18"d x		x 84"h 36"w x 24"d x 84"h		84"h		
Shelves	STARTERS	ADD-ONS	STARTERS	ADD-ONS	STARTERS	ADD-ONS	STARTERS	Add-Ons	STARTERS	Add-Ons	STARTERS	Add-Ons
22-GAUGE MEDIUM-DUTY, BOX "W" OPEN SHELVING								22-GAUGE MEDIUM-DUTY, BOX "W" CLOSED SHELVING				
5	8005SM	8005M	8006SM	8006M	8007SM	8007M	8037SM	8037M	8038SM	8038M	8039SM	8039M
	20-GAUGE HEAVY-DUTY, BOX "W" OPEN SHELVING							20-GAUGE HEAVY-DUTY, BOX "W" CLOSED SHELVING				
5	8005SH	8005H	8006SH	8006H	8007SH	8007H	8037SH	8037H	8038SH	8038H	8039SH	8039H
	18-GAUGE	EXTRA H	EAVY-DUT	Y, BOX "W	" OPEN SHE	LVING	18-GAUGE	EXTRA H	EAVY-DUTY	, BOX "W"	CLOSED SI	HELVING
5	8005SX	8005X	8006SX	8006X	8007SX	8007X	8037SX	8037X	8038SX	8038X	8039SX	8039X
	18-GAUGE TRADITIONAL FLANGED OPEN SHELVING						18-GAUGE TRADITIONAL FLANGED CLOSED SHELVING					NG
5	8005S	8005	8006S	8006	8007S	8007	8037S	8037	8038S	8038	8039S	8039

^{**}NOTE: Back open with lateral cross brace.





22-Gauge Medium-Duty, Box "W" shelves provide up to

shelves provide up to 600 lb. capacity*.



18-Gauge Extra Heavy-Duty, Box "W"shelves provide up to 1,300 lb. capacity*.



20-Gauge Heavy-Duty, Box "W"shelves provide up to
900 lb. capacity*.



18-Gauge Traditional Flangedshelves provide up to 700 lb. capacity*.

*Capacities are based on evenly distributed loads. All shelves maintain a 1.65 safety factor and posts a 1.92 factor. Maximum load capacity per section is 8,000 lbs. based on 18" maximum shelf spacing and no seismic considerations.

Shelf Load Capacities for 8000 Series Shelving

22-Ga. Medium Size Box "W"		_	20-Ga. Heavy-Duty Box "W"		18-Ga. Extra Box '	•	18-Ga. Traditional Flanged	
WxD	Cat. No.	Capacity	Cat. No.	Capacity	Cat. No.	Capacity	Cat. No.	Capacity
30" x 30"	N/A	N/A	8593H	800 lbs.	N/A	N/A	N/A	N/A
36" x 12"	8560M	600 lbs.	8560H	800 lbs.	8560X	1,150 lbs.	8560	550 lbs.
36" x 18"	8561M	600 lbs.	8561H	900 lbs.	8561X	1,300 lbs.	8561	650 lbs.
36" x 24"	8562M	600 lbs.	8562H	800 lbs.	8562X	1,150 lbs.	8562	700 lbs.

^{**}Please consult your factory representative, Lyon does not generally recommend 22-gauge on industrial shelving requirements larger than 36" x 24"





Steel Shelving

48" Wide 8000 Series Storage Shelving Units



Color Selection

In Stock

DD Dove Gray

PP Putty

Also Available

BB Wedgewood Blue

Wider for Greater Storage Flexibility

- Greater lateral clearance yields more shelf space for long, unwieldy items
- Integrate with comparable 36" wide 8000 series units, and with each other
- Features Lyon T-Post Uprights and "Box W" shelf design

No. of	12"	Deep	18"	Deep	24" Deep								
Shelves	Starters	Add-Ons	Starters	Add-Ons	Starters	Add-Ons							
		48" Wide OPEN Shelving Sections – 84" High 20-Gauge, "Box W" Shelves											
5	8340SH	8340H	8341SH	8341H	8342SH	8342H							
	18-Gauge, "Box W" Shelves												
5	8340SX	8340X	8341SX	8341X	8342SX	8342X							
			Shelving I" Shelve:	Sections	– 84" Hig	jh							
5	8334SH	8334H	8335SH	8335H	8336SH	8336H							
	18-Gaug	e, "Box W	l" Shelves	6									
5	8334SX	8334X	8335SX	8335X	8336SX	8336X							

8000 Series Wire Shelving Sections

- Shelves are adjustable on 11/2" centers
- · All steel components are Dove Gray

Features

Wire Shelves are all-welded, and constructed from heavy-gauge steel wire and heavy-gauge channels. Shelf load capacity ranges from 350 lbs.* (48" wide) to 500 lbs.* (36" wide) per shelf. Shelves slip easily onto uprights using Lyon shelf clips. Shelves available in Dove Gray only.







No. of	18" De	ер	24" Dec	ер	18" Deep		24" Deep			
Shelves	Starters	Add-Ons	Starters	Add-Ons	Starters	Add-Ons	Starters	Add-Ons		
	OPEN V	Vire Shelving	Sections - 84	¥" High	CLOSED Wire Shelving Sections - 84" High					
	36" Wide Se	ections (Max	. Cap.: 500 lbs	s. per shelf*)	36" Wide Sections (Max. Cap.: 500 lbs. per shelf*)					
5	8006SWS	8006WS	8007SWS	8007WS	8038SWS	8038WS	8039SWS	8039WS		
6	8041SWS	8041WS	8042SWS	8042WS	8261SWS	8261WS	8262SWS	8262WS		
7	8031SWS	8031WS	8032SWS	8032WS	8091SWS	8091WS	8092SWS	8092WS		
8	8021SWS	8021WS	8022SWS	8022WS	8081SWS	8081WS	8082SWS	8082WS		
	48" Wide Se	ections (Max	. Cap.: 350 lbs	s. per shelf*)	48" Wide Sections (Max. Cap.: 350 lbs. per shelf*)					
5	8341SWS	8341WS	8342SWS	8342WS	8335SWS	8335WS	8336SWS	8336WS		
6	8347SWS	8347WS	8348SWS	8348WS	8332SWS	8332WS	8333SWS	8333WS		
7	8397SWS	8397WS	8398SWS	8398WS	8392SWS	8392WS	8393SWS	8393WS		
8	8364SWS	8364WS	8365SWS	8365WS	8344SWS	8344WS	8345SWS	8345WS		

*Capacities based on evenly distributed loads.






Steel Shelving

Storage and Display Bin Units

- Shelves adjust up or down every 1¹/₂" where dividers are not used
- Labelholder flanges turn down to form clear openings, or where needed to form ⁷/₈" high bin fronts
- Dividers adjust horizontally every inch using "snap-ins" — no nuts, bolts or tools required
- Overall size: 36"w x 12"d x 78"h

Each plastic bin includes two adjustable dividers



3826P





3825





3800









Total Compartments	No. of Open Compartments	Plastic Bins	Steel Boxes	Open Compai W x D		Cat. No.
Bin Shelf Un	it with Yellov	v Plasti	c Parts	Bins		
90	42	48*	_	12 - 6" x 12" x 4 ¹ / ₂ "	30 - 6" x 12" x 6"	3826P
91	1	90*	_	Top Bin - 36"x 71/2"		3831P
Bin Shelf Unit with Steel Shelf Boxes						
90	42	_	48**	12 - 6" x 12" x 4 ¹ / ₂ "	30 - 6" x 12" x 6"	3825
91	1	_	90**	Top Bin - 36" x 12" x 7	71/2"	3830
Bin Shelf Un	nit					
6	6	_	_	5 - 36" x 12" x 12"	1 - 36" x 12" x 15"	3800
12	12	_	_	11 - 36" x 12" x 6"	1 - 36" x 12" x 9"	3805
32	32	_	_	28 - 9" x 12" x 9"	4 - 9" x 12" x 12"	3810
72	72	_	_	66 - 6" x 12" x 6"	6 - 6" x 12" x 9"	3815
144	144	_	_	126 - 4" x 12" x 4 ¹ / ₂ "	18 - 4" x 12" x 6"	3820



*Plastic Bins - 5²¹/₃₂"w x 11¹/₄"d **Steel Boxes - 5²¹/₃₂"w x 11¹/₄"d

Color Selection

In Stock

DD Dove Gray

Also Available

PP Putty

BB Wedgewood Blue



Wire Storage

Chrome Plated Wire Shelving

- · Gain access from all four sides with maximum ventilation
- Wire construction reduces dust build-up and enhances sprinkler areas for fire safety
- Lustrous chrome finish maximizes corrosion resistance
- · Wire-over-wire waterfall shelf construction
- Double-lock[™] post inserts assure rigidity and unit integrity
- Digital posts provide accurate leveling of shelves, which are adjustable on 1" centers
- · Fast "drop-and lock" assembly
- 4-shelf units are available in Commercial Grade or Industrial Grade
- 3-shelf units are available in Commercial Grade and feature extra deep shelves

Features



Patented Double Truss design with waterfall front features surface-to-surface welds.



4-Shelf Starter and Add-on Units

Starter Cat. No.	Add-on Cat. No.	WxDxH	Starter Cat. No.	Add-on Cat. No.
Commerce 600 lb. (ial Grade Capacity			al Grade Capacity
43131S	43131A	48" x 18" x 62"	43546CS	43546CA
43141S	43141A	60" x 18" x 62"	43746CS	43746CA
43151S	43151A	72" x 18" x 62"	43946CS	43946CA
43132S	43132A	48" x 18" x 74"	43547CS	43547CA
43142S	43142A	60" x 18" x 74"	43747CS	43747CA
43152S	43152A	72" x 18" x 74"	43947CS	43947CA
43133S	43133A	48" x 18" x 86"	43548CS	43548CA
43143S	43143A	60" x 18" x 86"	43748CS	43748CA
43153S	43153A	72" x 18" x 86"	43948CS	43948CA
43128S	43128A	36" x 24" x 62"	43346CS	43346CA
43134S	43134A	48" x 24" x 62"	45546CS	45546CA
43144S	43144A	60" x 24" x 62"	45746CS	45746CA
43154S	43154A	72" x 24" x 62"	45946CS	45946CA
43129S	43129A	36" x 24" x 74"	43347CS	43347CA
43135S	43135A	48" x 24" x 74"	45547CS	45547CA
43145S	43145A	60" x 24" x 74"	45747CS	45747CA
43155S	43155A	72" x 24" x 74"	45947CS	45947CA
43130S	43130A	36" x 24" x 86"	43348CS	43348CA
43136S	43136A	48" x 24" x 86"	45548CS	45548CA
43146S	43146A	60" x 24" x 86"	45748CS	45748CA
43156S	43156A	72" x 24" x 86"	45948CS	45948CA

3-Shelf Starter and Add-on Units

WxDxH	Starter Cat. No.	Add-on Cat. No.	Extra Shelf Cat. No.
36" x 30" x 86"	43520	43524	43110
48" x 30" x 86"	43521	43525	43111
60" x 30" x 86"	43522	43526	43112
72" x 30" x 86"	43523	43527	43113
36" x 36" x 86"	43530	43534	43114
48" x 36" x 86"	43531	43535	43115
60" x 36" x 86"	43532	43536	43116
72" x 36" x 86"	43533	43537	43117

Example







Starter units include: shelves and 4 posts.


Add-on units include:
shelves, 2 posts and 2 S-hooks per shelf.

Ö

Chrome Plating shelving offers gleaming eye-appeal, USDA acceptance for packaged goods and long maintenance-free performance in dry environments. Shelves and posts are plated with chrome over a nickel chrome base.

Shelving Configurations

End-to-End Installations







Pre-Engineered Bulk Storage Racks

Designed for the hand-loading of intermediate weight bulky items. In addition to storing cartoned merchandise, it can be used for display racking. Heavy-duty 14-gauge steel beams included.





Starter with No Decking Front-To-Back supports per level: 60"w-1, 96"w-2



Starter with Waterfall H. D. Wire Decking Front-To-Back supports per level: 60"w-1, 96"w-2



Starter with Solid Decking Front-To-Back supports per level: 60"w-1, 96"w-2



Starter with Particle Board Front-To-Back supports per level: 60"w-2, 96"w-4



Starter with Ribbed Decking Front-To-Back supports per level: 60"w-1, 96"w-2





				60" Wide Racks					96" Wide Racks				
Levels	Height	Depth	Туре	No Deck	Solid	Ribbed	H.D. Wire	Particle	No Deck	Solid	Ribbed	H.D. Wire	Particle
		24"	Starter	67201S	N/A	67201SR	67201SW	67201SP	67501S	67501SD	67501SR	67501SW	67501SP
		24	Add-on	67201	N/A	67201R	67201W	67201P	67501	67501D	67501R	67501W	67501P
		30"	Starter	67202S	67202SD	67202SR	67202SW	N/A	67502S	N/A	67502SR	67502SW	N/A
9	<i>60</i> "	- 00	Add-on	67202	67202D	67202R	67202W	N/A	67502	N/A	67502R	67502W	N/A
3	UU	36"	Starter	67203S	67203SD	67203SR	67203SW	67203SP	67503S	67503SD	67503SR	67503SW	67503SP
		- 00	Add-on	67203	67203D	67203R	67203W	67203P	67503	67503D	67503R	67503W	67503P
		48"	Starter	67205S	67205SD	67205SR	67205SW	67205SP	67505S	67505SD	67505SR	67505SW	67505SP
		70	Add-on	67205	67205D	67205R	67205W	67205P	67505	67505D	67505R	67505W	67505P
		24"	Starter	67211S	N/A	67211SR	67211SW	67211SP	67511S	67511SD	67511SR	67511SW	67511SP
		24	Add-on	67211	N/A	67211R	67211W	67211P	67511	67511D	67511R	67511W	67511P
		30"	Starter	67212S	67212SD	67212SR	67212SW	N/A	67512S	N/A	67512SR	67512SW	N/A
9	72 "	30	Add-on	67212	67212D	67212R	67212W	N/A	67512	N/A	67512R	67512W	N/A
3	12	36"	Starter	67213S	67213SD	67213SR	67213SW	67213SP	67513S	67513SD	67513SR	67513SW	67513SP
		- 00	Add-on	67213	67213D	67213R	67213W	67213P	67513	67513D	67513R	67513W	67513P
		48"	Starter	67215S	67215SD	67215SR	67215SW	67215SP	67515S	67515SD	67515SR	67515SW	67515SP
			Add-on	67215	67215D	67215R	67215W	67215P	67515	67515D	67515R	67515W	67515P
		24"	Starter	67221S	N/A	67221SR	67221SW	67221SP	67521S	67521SD	67521SR	67521SW	67521SP
			Add-on	67221	N/A	67221R	67221W	67221P	67521	67521D	67521R	67521W	67521P
		30"	Starter	67222S	67222SD	67222SR	67222SW	N/A	67522S	N/A	67522SR	67522SW	N/A
33	84"	30	Add-on	67222	67222D	67222R	67222W	N/A	67522	N/A	67522R	67522W	N/A
9	04	36"	Starter	67223S	67223SD	67223SR	67223SW	67223SP	67523S	67523SD	67523SR	67523SW	67523SP
		30	Add-on	67223	67223D	67223R	67223W	67223P	67523	67523D	67523R	67523W	67523P
		48"	Starter	67225S	67225SD	67225SR	67225SW	67225SP	67525S	67525SD	67525SR	67525SW	67525SP
		40	Add-on	67225	67225D	67225R	67225W	67225P	67525	67525D	67525R	67525W	67525P
		24"	Starter	67231S	N/A	67231SR	67231SW	67231SP	67531S	67531SD	67531SR	67531SW	67531SP
<u> </u>		24	Add-on	67231	N/A	67231R	67231W	67231P	67531	67531D	67531R	67531W	67531P
		30"	Starter	67232S	67232SD	67232SR	67232SW	N/A	67532S	N/A	67532SR	67532SW	N/A
	<i>96</i> "	30	Add-on	67232	67232D	67232R	67232W	N/A	67532	N/A	67532R	67532W	N/A
تت)	JU	36"	Starter	67233S	67233SD	67233SR	67233SW	67233SP	67533S	67533SD	67533SR	67533SW	67533SP
		30	Add-on	67233	67233D	67233R	67233W	67233P	67533	67533D	67533R	67533W	67533P
		48"	Starter	67235S	67235SD	67235SR	67235SW	67235SP	67535S	67535SD	67535SR	67535SW	67535SP
		40	Add-on	67235	67235D	67235R	67235W	67235P	67535	67535D	67535R	67535W	67535P

NOTE: In the interest of safety, Lyon strongly recommends that racks that are 72" or higher be floor and/or wall anchored. See page 30 for important anchoring information.



Color Selection


DD Dove Gray

In Stock

PP Putty

Rivet Rack

- Beams drop into slots on uprights to create a sturdy, rigid structure
- Starter uprights are 14-gauge angle posts for use as stand alone sections or at the ends of two or more sections
- Add-on uprights are 14-gauge T-posts for use as intermediate posts in multiple section rows
- · Easy assembly



Pre-Engineered 84" High Rivet Rack

rie-Liigineereu 04 Tiigii Nivet Nack					
WxDXH	Capacity W x D X H Lbs.		3 Level Starter Add-On		evel Add-On
Double-Rivet,	Medium-	Duty Flar	iged Beam		
48" x 24" x 84"	1,000	73020	73020A	73040	73040A
48" x 36" x 84"	1,000	73021	73021A	73041	73041A
48" x 48" x 84"	1,000	73022	73022A	73042	73042A
60" x 24" x 84"	800	73023	73023A	73043	73043A
60" x 36" x 84"	800	73024	73024A	73044	73044A
60" x 48" x 84"	800	73025	73025A	73045	73045A
72" x 24" x 84"*	800	73026	73026A	73046	73046A
72" x 36" x 84"*	800	73027	73027A	73047	73047A
72" x 48" x 84"*	800	73028	73028A	73048	73048A
96" x 24" x 84"*	650	73029	73029A	73049	73049A
96" x 36" x 84"*	650	73030	73030A	73050	73050A
96" x 48" x 84"*	650	73031	73031A	73051	73051A
"C" Channel, Heavy-Duty Beam					
96" x 24" x 84"*	1,200	73035	73035A	73055	73055A
96" x 36" x 84"*	1,200	73036	73036A	73056	73056A
96" x 48" x 84"*	1,200	73037	73037A	73057	73057A

^{*} Includes Center support. Decking sold separately.

ACCESSORIES AND RELATED PRODUCTS

Particle Board Decking Riv

Versatile particle board decking is 5/8" thick and pre-cut to size for use with Lyon rivet rack. For general purpose and record storage applications.

Actual Size	Cat. No.
36" x 12"	72504
36" x 18"	72506
36" x 24"	72508
48" x 12"	72524
48" x 18"	72526
48" x 24"	72528
48" x 36"	72532
48" x 48"	72534
60" x 24"	72544
60" x 36"	72546
60" x 48"	72548
72" x 24"	72554
72" x 36"	72556
72" x 48"	72558
96" x 24"	72564
96" x 36"	72566
96" x 48"	72568
69" x 16"	72580
69" x 32"	72582

Rivet Rack Wire Decking

Manufactured with 4-gauge wire 2" x 4" mesh. It meets fire code standards and features easy drop in installation, enhanced sprinkler system effectiveness and durable baked on enamel finish. Available in Frost Gray.

W x D	Capacity	Cat. No.
36"w x 12"d	350 lbs.	72604
36"w x 18"d	250 lbs.	72606
36"w x 24"d	250 lbs.	72608
48"w x 12"d	600 lbs.	72624
48"w x 18"d	600 lbs.	72626
48"w x 24"d	600 lbs.	72628
48"w x 36"d	600 lbs.	72632
48"w x 48"d	600 lbs.	72634
60"w x 24"d	550 lbs.	72644
60"w x 36"d	550 lbs.	72646
60"w x 48"d	500 lbs.	72648
72"w x 24"d	800 lbs.	72654
72"w x 36"d	800 lbs.	72656
72"w x 48"d	800 lbs.	72658
69"w x 16"d	800 lbs.	72680
69"w x 32"d	800 lbs.	72682

Not recommended for single rivet beam applications.

Wall Tie

No. 72110 - Wall Tie 9"L,

Fastens back to wall

Double Row Tie

No. 72115 - Double Row Tie 18"L,

Ties double rows together

Hanging Bar for Clothes Hangers

No. 72120 – 36"L **No. 72122** – 48"L **No. 72121** – 42"L **No. 72123** – 60"L

River Rack Tire

No. 72130 - Rivet Rack Tire Beam 60" (not shown)

Tie Plate

Lock posts together to join two or more racks side by side.

No. 72090 - 2⁷/₈" x 2⁵/₈"

Record Storage Box Support Rails

No. 72095 – 1½"w x 16"d*


No. 72096 – 1¹/₂"w x 32"d*


*Can only be used with 72052HR.

Center Supports

Required for beams wider than 60".

No. 72075 – 30"d
No. 72076 – 32"d
No. 72077 – 36"d
No. 72078 - 42"d
No. 72079 – 48"d









Pallet Rack


Expand your useable storage space while maximizing all available space within your building — both horizontally and vertically.

Lyon's teardrop design features a roll form welded upright and is totally interchangeable with all major teardropstyle products on the market today.

Tough, Durable, Smooth Finish features our baked-on powder epoxy finish which gives an appliance-like finish that is impact and corrosion resistant.

Available in stock:

Gray — Upright Frames/Accessories Safety Orange — Beams



HOW TO ORDER PALLET RACKS

Step 1

Select Upright Frames (see page 28)

Add the following figures:

Height of pallet loads (including pallet)

- + Height of shelf beam
- + 4" Min. vertical clearance for each pallet load

Sum of above dimensions = rack height

For uppermost load level, location of shelf beam should be 6" less than fork truck's maximum lift height. Top of beams need to be at even increments.

Step 2

Select Beams (see page 29)

Shelf length equals the distance between uprights. It is determined by adding the widths of pallet loads plus a 5" side clearance between upright and pallet and 6" between pallet loads.

Shelf beam capacities are based on a pair of beams supporting an evenly distributed load.

Beams over 120" in length should be tied together with the appropriate front-to-back support (see page 30) to maintain proper spacing at each storage level.

UPRIGHT FRAME ADD-ON BAY STARTER BAY FRAME PALLET ALL BEAMS ARE OVERHANG ADJUSTABLE VERTICALLY 4" MINIMUM ON 2" CENTERS FLOOR SHELF BEAM CLEAR SPAN Depth should be 6" Starter Bay consists of: Add-On Bay consists of: less than pallet. two uprights and One upright and number of beams desired. number of beams desired. For Example, a 48" deep (minimum 4) (minimum 4)

Shown here is a typcial GMA

48"d x 40"w pallet.

Step 3

Select Decking (see page 29)

Select Decking based on style needed:

- Solid Panel Decking
- Wire Decking

pallet requires a rack

with a 42" depth

Step 4

Select Accessories (see page 30)







Pallet Rack - Upright Frames

Upright Ordering Information

- Choose Light, Medium, Heavy-Duty or Extra Heavy-Duty stock uprights to suit your storage requirements:
 - » Light-Duty upright posts are 13-ga 3"w x 1-5/8"d
 - » Medium-Duty upright posts are 13-ga 3"w x 3"d
 - » Heavy-Duty upright posts are 12-ga 3"w x 3"d
 - » Extra Heavy-Duty upright posts are 10-ga -3"w x 3"d
- Two frames are required per bay, and any number may be joined together in continuous row applications
- · Available in Dove Gray

Uprights conform to the latest standards set by Rack Manufacturers' Institute LRFD Specifications.







Unique Design - Roll formed upright provides greater strength-to-weight ratio. Minimum-sized slots mean more steel per upright. Uprights structures are 100% mig-welded with precision K-brace and heavy-duty cross channel reinforcement for increased strength, rigidity and resistance to abuse.


Easy Adjustment - Tapered keyhole slots on 2" centers, provide quick, easy vertical adjustment of beams. There are no "dead spots" or obstructions in upright posts to impede movement of beam along the entire height.

Interchangeable - Lyon pallet rack fits with other traditional teardrop designs. That means you can upgrade damaged, weak, or worn out uprights and beams with our versatile rack. No need to change your whole system.

Step 1

Select Upright Frames

- Compute total frame capacity needed to satisfy your load requirements.
- 2. Determine height required from floor to first beam or maximum beam spacing. This will be refered as "Largest Beam Span".
- Refer to the **Upright Capacity Table and Chart** below.
 Locate the dimension from floor to first beam or maximum beam spacing between two levels. From the beam spacing dimension, move vertically up the chart to the desired capacity required for your upright. This will identify if the upright is Light, Medium, Heavy, or Extra Heavy-Duty.



4. Using the required depth and height of the upright for the corresponding type identified in Step 3, select the appropriate catalog number from the table.

Frame	30" deep	36" deep	42" deep	48" deep			
Height	Cat. No.	Cat. No.	Cat. No.	Cat. No.			
Light-Dut	Light-Duty Upright Frames ("L" Post)						
96"	**	U3509636	U3509642	U3509648			
120"	**	**	U3512042	U3512048			
144"	**	U3514436	**	**			
Medium-	Duty Upright F	rames ("M" Po	st)				
96"	U3609630	U3609636	U3609642	U3609648			
120"	**	U3612036	U3612042	U3612048			
144"	**	U3614436	U3614442	U3614448			
168"	**	**	U3616842	**			
Heavy-Du	ıty Upright Fra	mes ("H" Post)					
96"	U2609630	U2609636	U2609642	U2609648			
120"	**	U2612036	U2612042	U2612048			
144"	**	U2614436	U2614442	U2614448			
168"	**	U2616836	U2616842	U2616848			
192"	**	U2619236	U2619242	U2619248			
Extra Hea	Extra Heavy-Duty Upright Frames ("X" Post)						
144"	**	**	U0614442	**			
168"	**	**	U0616842	**			

^{**}Items are non-stock but available as special manufactured sizes.





Pallet Rack - Beams

Beam Ordering Information

- Roll-formed beams feature an integrated 1%" step for decking and are totally enclosed for clean applications
- Heavy-duty rivet-type connectors engage upright wedge slots for increased holding power
- Beams are easy to assemble, disassemble, and relocate
- · Available in Safety Orange

Three-Point Safety Catch — Each beam has 3 rugged studs (4 on heavy-duty) that engage the tapered keyhole slots in the



upright with a compression fit. Intergral safety lock automatically locks into place when beam is properly seated.

Step 2

Select Beams

- 1. Determine load weights per pair of beams. (Two 2,500 lb. pallet loads = 5,000 lb. beam capacity).
- 2. Determine length of beam required based on load width and minimum clearances.
 - (Minimum clearance between pallets and pallet and upright is 4", or for two 48" pallets, a total of 12". Use 108" beam).
- 3. Refer to desired beam length and move across table to rated capacities.
 - (For 108" beam and 5,000 lb. load, select beam B6500108).

Clear Span	Height of Beams	Cap. (lbs.) per pair	Cat. No.
96"	35/16"	3,510	B6331096
96"	43/16"	5,372	B6418096
96"	5 ¹ / ₂ "	7,809	B6550096
108"	39/16"	3,206	B6356108
108"	43/16"	4,431	B6418108
108"	5"	6,126	B6500108
108"	5"	7,010	B4500108
108"	6"	9,020	B4600108
120"	5"	6,020	B4500120
120"	6"	8,114	B4600120
144"	5 ¹ / ₂ "	5,201	B4550144
144"	6"	9,010	B2600144



Beams 120" long and greater should be tied together with at least one front-to-back support except when solid decking panels are used.

Beams conform to the standards set to the latest Rack Manufacturers' Institute LRFD Specifications.

Step 3

Select Decking



Solid Decking Panels

Heavy, 14-gauge panels feature three 3" x 1^{5} /6" x 14-gauge hat channels welded to the underside for maximum strength and durability. Panels drop into place to provide a solid deck surface.

W x D	Capacity	Cat. No.
Solid Deckir	ng Panels	
48" x 30"	11,865 lbs.	DP4830
60" x 30"	11,865 lbs.	DP6030
48" x 36"	8,247 lbs.	DP4836
60" x 36"	8,247 lbs.	DP6036
48" x 42"	6,057 lbs.	DP4842
60" x 42"	6,057 lbs.	DP6042
48" x 48"	5,198 lbs.	DP4848
60" x 48"	5,198 lbs.	DP6048

Wire Decking

Heavy-duty waterfall decking features a 2½" x 4" 6-gauge wire mesh with 13 gauge steel channels for safe, durable storage and ease of installation. Meets all fire and safety regulations.

Wire decking sizes neccessary to fit Lyon pallet rack


Width	Wire Decking Sizes
90"	(2) 44"W
96"	(2) 46"W
102"	(1) 46"W and (1) 52"W
108"	(2) 52"W
120"	(2) 58"W
1/1/1"	(3) 46,//

WxD #	Channels	Capacity	Cat. No.
Wire Deck			
44" x 30"	3	3,000 lbs.	WD4430H
46" x 30"	3	3,000 lbs.	WD4630H
52" x 30"	3	3,000 lbs.	WD5230H
58" x 30"	3	3,000 lbs.	WD5830H
44" x 36"	3	3,000 lbs.	WD4436H
46" x 36"	3	3,000 lbs.	WD4636H
52" x 36"	3	3,000 lbs.	WD5236H
58" x 36"	3	3,000 lbs.	WD5836H
44" x 42"	4	3,000 lbs.	WD4442H
44" x 42"	3	2,500 lbs.	WD4442L
46" x 42"	4	3,000 lbs.	WD4642H
46" x 42"	3	2,500 lbs.	WD4642L
52" x 42"	4	3,000 lbs.	WD5242H
52" x 42"	3	2,500 lbs.	WD5242L
58" x 42"	4	3,000 lbs.	WD5842H
58" x 42"	3	2,500 lbs.	WD5842L
44" x 48"	4	2,800 lbs.	WD4448H
44" x 48"	3	2,250 lbs.	WD4448L
46" x 48"	4	2,800 lbs.	WD4648H
46" x 48"	3	2,250 lbs.	WD4648L
52" x 48"	4	2,800 lbs.	WD5248H
52" x 48"	3	2,250 lbs.	WD5248L
58" x 48"	4	2,800 lbs.	WD5848H
58" x 48"	3	2,250 lbs.	WD5848L





Pallet Rack Accessories



For safe storage of cylindrical items. Welded unit fits securely on beams.

Dimension	Capacity	Cat. No.
Front-to-Bac	k Support	
30" Deep	2,450 lbs.	FTB4330
36" Deep	1,890 lbs.	FTB4336
42" Deep	1,535 lbs.	FTB4342
48" Deep	1,300 lbs.	FTB4348
Plywood Sup	port Channe	el
30" Deep	2,475 lbs.	PW30
36" Deep	1,910 lbs.	PW36
42" Deep	1,550 lbs.	PW42
48" Deep	1,310 lbs.	PW48
Skid Support	t	
30" Deep	760 lbs.	SC30
36" Deep	635 lbs.	SC36
42" Deep	550 lbs.	SC42
48" Deep	475 lbs.	SC48
Fork Entry B	Bar	
30" Deep	8,352 lbs.	FEB30
36" Deep	6,960 lbs.	FEB36
42" Deep	5,966 lbs.	FEB42
48" Deep	5,220 lbs.	FEB48
Drum Cradl	е	
30" Deep	4,650 lbs.	DCB30
36" Deep	3,750 lbs.	DCB36

(F) Impact Support

Provides extra protection against abuse. Bolt on to floor only. Finish is Safety Yellow.

No. **IS12A**- 12" high No. IS24A- 24" high No. IS36A - 36" high No. IS48A - 48" high

Upright Anchor

Optional wedge-type anchor can be used to secure column posts. ½" dia. x 3¾" long.

No. 25163



(H), (I) Row Spacers & Wall Ties

Row spacer provides a stabilizing connection for back-to-back rows of racks; wall ties provide stability and consistent spacing from the wall. Galvanized construction resists rust and corrosion. Two spacers recommended for each pair of uprights. Bolts included.

		Wall Tie
Dimension	Cat. No.	Cat. No.
Row-and-Wa		
4" Long	RS04	WS04
6" Long	RS06	WS06
8" Long	RS08	WS08
10" Long	RS10	WS10
12" Long	RS12	WS12
18" Long	RS18	WS18

(G) Shim Plate

Nests under footplate. Unpainted. No. SM3

NOTE: Load-carrying capacities for individual accessories listed are based on evenly distributed loads and are

and/or front-to-back supports are used to support the load, the weight is not evenly distributed to the beam and,

limited by the support capacity of the beams and/or upright assemblies. When skid supports, fork-entry bars





Reel Support Bracket

Converts standard rack to reel or coil rack. Axle not furnished. Accommodates axle pipe or rod up to 2" O.D. 2,000 lb. capacity per bracket.

No. RSL - Left Hand No. RSR - Right Hand

therefore, beam capacities are reduced significantly.








Bar. Pipe and Rod Rack

All models feature heavyduty arms with 450 lb. capacity (6,000 lbs. per upright maximum) that can be adjusted every 11/2", with spacing as close as 71/2".







Single-Face Rack


Designed for use against walls with arms and base on one side of uprights. Brace panels and cross braces included. Overall size: 36"w x 217/8"d x 791/4"h

No. 3700S - Starter **No. 3700** - Add-On

Add-On

Cat. No.

No. 3701 - Knocked Down Rack End converts Add-on into Starter




Double-Face Rack

Designed for free-standing use with arms and base on both sides of uprights. Brace panels and cross braces included. Overall size: 36"w x 333/4"d x 791/4"h

No. 3710S - Starter No. 3710 - Add-On

No. 3711 - Knocked Down Rack End converts Add-on into Starter



Per Arm Upright Starter Cat. No. Capacity Capacity

Regular-Duty (8' High, 24" Arms)


2,000 lbs. 8,400 lbs. ea. CSF09624S CSF09624

Heavy-Duty (10' High, 36" Arms)

2,000 lbs. 10,800 lbs. ea. **CSF12036S CSF12036**

Heavy-Duty (10' High, 48" Arms)

2,000 lbs. 9,290 lbs. ea. | CSF14448S | CSF14448



Double Face Racks								
	Upright Capacity							
Regular-Duty (8' High, 24" Arms)								
2,000 lbs.	8,400 lbs. ea.	CDF09624S	CDF09624					
Heavy-Du	ty (10' High, 3	36" Arms)						
2,000 lbs.	10,800 lbs. ea.	CDF12036S	CDF12036					
Heavy-Duty (10' High, 48" Arms)								
2,000 lbs.	9,290 lbs. ea.	CDF14448S	CDF14448					

Pre-Engineered 72" Wide Cantilever Rack

Wide, open rows allow proper load support and easy access for bulky, irregular, long and oddshaped items at a low cost.

- All are 72" wide from center post to center post
- Choose single or double faced models in regular or heavy-duty strengths
- Arms are adjustable on 3" centers, and are available in lengths from 18" to 48"









Flammable Liquid Cabinets

- Conforms to NFPA Fire Code No. 30 and OSHA standards
- Adjust or add shelves to accommodate different size, or additional containers
- Cabinets are offered in 3 sizes:
 Under-Counter Cabinets; stand alone storage
 Standard Cabinets; stand alone storage, base
 for stackable compact cabinets
 Compact Cabinets; hangable, stackable or
 mountable

Polyethylene Shelf Tray Liners

These replaceable, leakproof 2" deep trays offer additional protection with a slightly raised curved edge to contain spills.











Capacity	WxDxH	No. of Shelves	Cat. No. Manual- Closing	Cat. No. Self- Closing	Cat. No. Extra Shelf	Cat. No. Mounting Brackets	Cat. No. Optional Shelf Tray	Cat. No. Optional Bottom Tray
Standard	d							
30 gal.	43" x 18" x 44"	1	5440N	5441N	5449N	N/A	5549	5550
45 gal.	43" x 18" x 65"	2	5444N	5445N	5449N	N/A	5549	5550
60 gal.	32" x 32" x 65"	2	5460	5461	5450	N/A	N/A	N/A
Compact								
4 gal.	17" x 17" x 22"	1	5470	N/A	5478	5480	N/A	N/A
12 gal.	23¼" x 18" x 35"	1	5473	N/A	5476	N/A	N/A	N/A
12 gal.	43" x 18" x 18"	_	5471	N/A	n/a	5479	N/A	N/A
15 gal.	23¼" x 18" x 44"	1	5474	N/A	5476	N/A	N/A	N/A
17 gal.	43" x 18" x 24"	1	5472	N/A	5449N	5479	N/A	N/A
17 gal.	43" x 18" x 24"	1	5465*	N/A	5449N	included	N/A	N/A
20 gal.	43" x 12" x 44"	2	5466*	N/A	5477	included	N/A	N/A
20 gal.	43" x 12" x 44"	2	5469	N/A	5477	5479	5551	5552
Under-C	ounter							
22 gal.	35" x 22" x 35"	1	5467	N/A	5468	n/a	5567	5568

Note: Not Recommended for Phenol, Sulfuric or Nitric Acids.

*Includes brackets for wall-mounting.







Acids and Corrosives Cabinets

- Conforms to NFPA Fire Code No. 30 and OSHA standards
- Adjust or add shelves to accommodate different size, or additional containers
- To resist aggressive chemicals, acid cabinets also include polyethylene trays attached to galvanized steel shelves and a separate polyethylene liner for the bottom shelf
- Cabinets are offered in 3 sizes:
 Under-Counter Cabinets: stand alone storage
 Standard Cabinets: stand alone storage, base for
 stackable compact cabinets
 Compact Cabinets: hangable, stackable or
 mountable





Polyethylene Shelf Tray Liners

These replaceable, leakproof 2" deep trays offer additional protection with a slightly raised curved edge to contain spills.







Capacity	WxDxH	No. of Shelves	No. of Trays	Cat. No. Manual- Closing	Cat. No. Self- Closing	Cat. No. Extra Galv. Shelf	Cat. No. Replacement Shelf Tray	Cat. No. Replacement Bottom Tray	Cat. No. Mounting Brackets
Standard									
30 gal.	43" x 18" x 44"	1	2	5540	5541	5449N	5549	5550	N/A
45 gal.	43" x 18" x 65"	2	3	5544	5545	5449N	5549	5550	N/A
Compact									
12 gal.	43" x 18" x 18"	N/A	N/A	5591	N/A	5449N	N/A	5550	5479
17 gal.	43" x 18" x 24"	1	2	5592	N/A	5449N	5549	5550	5479
17 gal.	43" x 18" x 24"	1	2	5565*	N/A	5449N	5549	5550	included
20 gal.	43" x 12" x 44"	5	6	5566*	N/A	5477	5551	5552	included
20 gal.	43" x 12" x 44"	5	6	5569	N/A	5477	5551	5552	5479
Under-C	ounter								
22 gal.	35" x 22" x 35"	1	2	5595	N/A	5468	5567	5568	N/A

Note: Not Recommended for Phenol, Sulfuric or Nitric Acids.

*Includes brackets for wall-mounting.



Safety Storage





Paints and Inks Cabinets

- Conforms to NFPA Fire Code No. 30 and OSHA standards
- Separate and identify Class III combustibles
- ½" shelf adjustments on numbered slots offer the ideal solution for storing the wide variety of containers for paints and inks – from half pints to 5 gallon pails – all in one cabinet
- Cabinets are offered in: Standard Cabinets: stand alone storage, base for stackable compact cabinets
- Optional polyethylene shelf tray liners offer additional protection



Capacity	WxDxH	No. of Shelves	Manual-	Cat. No. Self- Closing	Cat. No. Extra Shelf	Cat. No. Mounting Brackets	Cat. No. Optional Shelf Tray	Cat. No. Optional Bottom Tray
Standard								
30 gal.	43" x 18" x 44"	3	5640	5641	5449N	N/A	5549	5550
45 gal.	43" x 18" x 65"	5	5660	5661	5449N	N/A	5549	5550

Pesticide Cabinets

A safe and secure solution for those companies who specialize in lawn care, golf course management, agricultural interest or just handle pesticides.

- Conforms to NFPA Fire Code No. 30 and OSHA standards
- Adjust or add shelves to accommodate different size, or additional containers
- To resist aggressive chemicals, pesticide cabinets also include polyethylene trays attached to galvanized steel shelves and a polyethylene liner for the bottom shelf
- Cabinets are offered in sizes: Standard Cabinets: stand alone storage, base for stackable compact cabinets Compact Cabinets: hangable, stackable or mountable

Polyethylene Shelf Tray Liners

These replaceable, leakproof 2" deep trays offer additional protection with a slightly raised curved edge to contain spills.



Capacity Standa		No. of Shelves	No. of Trays	Cat. No. Manual- Closing	Cat. No. Self- Closing	Cat. No. Extra Shelf	Cat. No. Mounting Brackets	Cat. No. Replacement Shelf Tray	Cat. No. Replacement Bottom Tray
30 gal.	43" x 18" x 44"	1	1	5740	5741	5449N	n/a	5549	5550
45 gal.	43" x 18" x 65"	2	2	5744	5745	5449N	N/A	5549	5550
Compact									
12 gal.	23¼" x 18" x 35"	1	1	5773	N/A	5476	5479	N/A	N/A







HazMat Response Cabinets

Organize and store your spill containment/ HazMat response equipment on the shop floor, close to the areas at greatest risk. Safety experts agree that rapid response to a HazMat emergency can greatly reduce risk exposure and collateral damage

- Shelves adjustable on 2" centers
- Double doors swing full 180° for maximum access
- · 3-point locking device
- · Shipped fully assembled, ready to use
- Safety yellow finish
- Overall size: 36"w x 24"d x 78"h

No. 5460HM - Cabinet with 4 shelves

No. 5461HM – Cabinet with center partition, coat rod, full width shelf and 4 half shelves (permits storage of HazMat response apparel on hangers)





5460HM

5461HM



All-Welded Clearview Cabinet

Quickly evaluate supply inventory without even opening the doors.

- · All-welded, 14-gauge construction
- Clearview cabinets feature heavy-duty 3/16" thick Lexan® door inserts
- 14-gauge flanged shelves are adjustable on 3" centers
- Rugged cast iron handle features a 3/8" thick padlock hasp
- Three heavy-duty 5/16" brass pin hinge plates welded to each door
- · Additional shelves are available for customized configurations
- 4" high welded on legs
- Forklift base allows for easy movement anywhere in your facility

Safety Center

- Includes four full-width shelves
- Yellow finish only
- Overall Size: 48"w x 24"d x 82"h

No. 1120SC

Extra 48"w Shelf for 1120SC

No. 1161



Tool Storage

Industrial Tool Storage



THE MOST VERSATILE DRAWER ASSORTMENT

Full access pull out drawers provide quick and easy tool selection.

Includes:

10 Drawer Top Chest No. 1466 11 Drawer Roller Cabinet No. 1476 8 Drawer Side Cabinet No. 1467

No. 1500



BULK STORAGE COMPARTMENT

Storage shelf and space for medium sized power tools and accessories

Includes:

- 10 Drawer Top Chest No. 1466
- 8 Drawer Roller Cabinet No. 1477
- 8 Drawer Side Cabinet No. 1467

No. 1501



Innovative pull out drawer provides deep drawer and hanging panels for specialty tools. *Tools not included.*

Includes:

- 8 Drawer Top Chest No. 1465
- 8 Drawer Roller Cabinet No. 1478
- 8 Drawer Side Cabinet No. 1467

No. 1455

COMPONENT SPECIFICATIONS

Industrial Tool Storage

- 40" wide roller cabinet
- · Gas cylinders control top lid
- Heavy-duty side handles
- · Ball bearing drawer slides
- Extra strength rolled drawer edges
- 5" x 2" heavy-duty casters 2 swivel locks and 2 fixed
- Welded bottom frame of roller cabinet
- Protective drawer liner in every drawer
- Center lock on each unit for security
- Roller and side cabinets have a rubber mat on top surface
- Anodized aluminum drawer pulls
- Superior red powder coat finish

No. 1465 - 8 Drawer Top Chest

Description	Width	Depth	Height
Overall (with casters)	417/16"	17½"	2111/16"
Top Tray	415/16"	1713/32"	213/16"
3 Drawers	227/16"	161/8"	21/8"
1 Drawer	227/16"	161/8"	6"
3 Drawers	125/16"	161/8"	21/8"
1 Drawer	125/16"	161/4"	6"

No. 1466 - 10 Drawer Top Chest

140. 1400 TO DIAWCI	TOP OTICSE		
Description	Width	Depth	Height
Overall (with casters)	417/16"	17½"	2111/16"
Top Tray	415/16"	177/16"	213/16"
5 Drawers	227/16"	161/8"	21/8"
5 Drawers	125/16"	161/8"	21/8"

No. 1467 - 8 Drawer Side Cabinet

Description	Width	Depth	Height
Overall (with casters)	17"	18"	331/4"
7 Drawers	12"	15"	21/2"
1 Drawer	12"	15"	5¾"

No. 1476 - 11 Drawer Roller Cabinet

Description	Width	Depth	Height
Overall (with casters)	42"	18"	39%"
1 Drawer	36%"	161/8"	413/16"
3 Drawers	227/16"	161/8"	27/8"
2 Drawers	227/16"	161/8"	6"
3 Drawers	125/16"	161/8"	229/32"
2 Drawers	125/16"	161/8"	6"

No. 1477 - 8 Drawer Roller Cabinet

Description	Width	Depth	Height
Overall (with casters)	42"	18"	38¾"
Compartment	163/16"	167/16"	2111/16"
1 Drawer	36%"	161/8"	6"
5 Drawers	227/16"	161/8"	229/32"
1 Drawer	221/16"	161/8"	6"

No. 1478 - 8 Drawer Roller Cabinet

110. 1470 O DIAWCI NOIICI CADIIICI				
Description	Width	Depth	Height	
Overall (with casters)	42"	18"	385/8"	
Panel Drawer	163/16"	167/16"	2111/16"	
1 Drawer	36%"	161/8"	6"	
5 Drawers	227/16"	161/8"	229/32"	
1 Drawer	227/16"	161/8"	6"	



Maintenance Combination Unit

- 32" wide roller cabinet
- 26 drawers
- Ball bearing drawer slides
- · Heavy-duty side handle on roller cabinet
- Drop handles on top chest
- 5" x 2" heavy-duty casters 2 swivel locks and 2 fixed
- · Center lock on each unit for security
- · Protective drawer liner in every drawer
- Roller and side cabinets have a rubber mat on top surface
- · Anodized aluminum drawer pulls
- · Superior red powder coat finish



Pre-Engineered Combination Units



10 Drawer Top Chest No. 1461 8 Drawer Roller Cabinet No. 1473

No. 1493



10 Drawer Top Chest No. 1461 8 Drawer Roller Cabinet No. 1473 8 Drawer Side Cabinet No. 1467

No. 1480

Features



COMPONENT SPECIFICATIONS

No. 1461 - 10 Drawer Top Chest

Tel 1101 Tel Brance Top encoc				
Description	Width	Depth	Height	
Overall (with casters)	31%"	17½"	225/16"	
Top Tray	31"	171/16"	213/16"	
6 Drawers	91/2"	1613/16"	2"	
1 Drawer	51/8"	1613/16"	61/2"	
1 Drawer	273/16"	1613/16"	2"	
1 Drawer	273/16"	1613/16"	31/8"	
1 Compartment	273/16"	1613/16"	45/16"	

No. 1473 - 8 Drawer Roller Cabinet

Width	Depth	Height
323/16"	18"	38%"
273/16"	1613/16"	27/16"
273/16"	1613/16"	3"
273/16"	1613/16"	35/8"
273/16"	1613/16"	61/8"
	32 ³ / ₁₆ " 27 ³ / ₁₆ " 27 ³ / ₁₆ " 27 ³ / ₁₆ "	32 ³ / ₁₆ " 18" 27 ³ / ₁₆ " 16 ¹³ / ₁₆ " 27 ³ / ₁₆ " 16 ¹³ / ₁₆ " 27 ³ / ₁₆ " 16 ¹³ / ₁₆ "

No. 1467 - 8 Drawer Side Cabinet

Description	Width	Depth	Height
Overall (with casters)	17"	18"	331/4"
7 Drawers	12"	15"	21/2"
1 Drawer	12"	15"	5¾"



Mechanic's Roller Cabinet

- Ball bearing drawer slides
- Heavy-duty side handle
- Extra strength rolled drawer edges
- Rubber mat on top surface
- Protective drawer liner in every drawer
- · Center lock for security
- · Anodized aluminum drawer pulls
- Superior red powder coat finish
- Heavy-duty casters –
 2 swivel locks and 2 fixed

5 Drawer Mechanic's Roller Cabinet

No. 1471 - 5 Drawer Mechanic's Roller Cabinet

Description	Width	Depth	Height
Overall (with casters)	271/8"	18"	3413/16"
4 Drawers	2313/16"	161/8"	4"
1 Drawer	2313/16"	161/8"	81/8"





Separate lock for storage compartment

3 Drawer Mechanic's Roller Cabinet

No. 1470 - 3 Drawer Mechanic's Roller Cabinet with Storage Compartment

Description	Width	Depth	Height
Overall (with casters)	271/8"	18"	3413/16"
2 Drawers	2313/16"	161/8"	4"
1 Drawer	2313/16"	161/8"	6"
1 Compartment	241/4"	111/4"	16%"

4 Drawer Mechanic's Roller Cabinet

No. 1472 - 4 Drawer Mechanic's Roller Cabinet with Storage Compartment

Description	Width	Depth	Height
Overall (with casters)	2613/16"	18"	39¾6"
4 Drawers	2213/16"	161/8"	27/8"
1 Drawer	23¾"	16%"	16%"

Separate lock for storage compartment





Top Chests

- · Ball bearing drawer slides
- · Heavy-duty drop handles
- Center lock secures top and all drawers
- Locking lid supports prevent chest cover from accidentally closing
- Protective drawer liner in every drawer
- Anodized aluminum drawer pulls

Superior red powder coat finish



Description	Width	Depth	Height
Overall	265/16"	121/16"	15¾16"
Top Tray	263/16"	125/16"	23/32"
2 Drawers	47/8"	11"	11//8"
1 Drawer	11"	11"	11/8"
2 Drawers	231/8"	11"	11//8"
1 Drawer	231/8"	11"	4"

No. 1468 - 2 Drawer Intermediate Chest

Description	Width	Depth	Height
Overall	26"	123/32"	1413/16"
1 Drawer	227/16"	1011/16"	21/8"
1 Drawer	227/16"	1011/16"	4"

No. 1463 - 12 Drawer Top Chest

Description	Width	Depth	Height
Overall	265/16"	17½"	195/16"
Top Tray	265/16"	175/16"	23/32"
8 Drawers	421/32"	161/8"	1%"
1 Drawer	11"	161/8"	4"
2 Drawers	233/16"	161/8"	1%"
1 Drawer	231/16"	161/8"	1%"

No. 1462 - 12 Drawer Top Chest

Description	Width	Depth	Height
Overall	265/16"	123/32"	193/16"
Top Tray	263/16"	125/16"	23/4"
9 Drawers	75/8"	11"	15/8"
3 Drawers	231/2"	11"	15/8"







Portable Tool Boxes



20" 2-Drawer Tool Box

- Drawers automatically lock when lid is closed
- Built-in padlock attachment
- 2 draw bolts
- · Continuous piano hinge
- Superior powder coat finish
- Top Tray: 20"w x 81/2"d x 21/2"h
- 2-Drawers: 1713/16"w x 77/16"d x 27/16"h
- Overall size: 201/8"w x 89/32"d x 913/16"h

No. 1457



19" Tool Box with Tray

- Full length tool tray
- Built-in padlock attachment
- 2 draw bolts
- Continuous piano hinge
- Superior powder coat finish
- Overall size: 19"w x 71/8"d x 73/32"h

No. 1453



20" Tool Box with Tray

- Full length tool tray
- Padlock hasp
- 2 draw bolts
- · Continuous piano hinge
- Superior powder coat finish
- Overall size: 201/4"w x 85/4"d x 97/16"h

No. 1456



20" Tool Box with Tray

- Full length tool tray
- Single draw bolts
- · Continuous piano hinge
- · Superior powder coat finish
- Overall size: 201/8"w x 85/8"d x 811/16"h

No. 1454









Cabinet-Style Work Center

- · Ball bearing drawer slides
- · Heavy-duty laminated hardwood top
- · Superior black and red powder coat finish
- Four 5" x 2" heavy-duty swivel casters with locks
- · Adjustable shelf in storage compartment
- · Electrical cord storage brackets mounted on end panel

No. 1460 - Cabinet Style Work Center with Laminated Hardwood Top

	,		
Description	Width	Depth	Height
Overall (with casters)	60"	26"	387/16"
2 Drawers	23"	225/8"	713/16"
1 Drawers	23"	225/8"	913/16"
1 Storage			
Compartment	24"	221/8"	2513/16"

Multi-Purpose Cabinets

These All-In-One Cabinets Combine Ample Storage Capacity with Generous Work Surfaces

- · Ball bearing drawer slides
- Heavy-duty side handle
- Extra strength rolled drawer edges
- 5" x 2" heavy-duty casters 2 swivel with locks and 2 fixed



Includes / Rubber Mat



Drawer Liner in Every Drawer

No. 1475 - 8 Drawer Multi-Purpose Roller Cabinet

Description	Width	Depth	Height
Overall (with casters)	3513/16"	21%"	431/8"
4 Drawers	31%"	187/8"	21/8"
3 Drawers	311//8"	187/8"	45/16"
1 Drawer	31%"	187/8"	811/16"

- Protective drawer liner in every drawer
- · Center lock for security
- · Anodized aluminum drawer pulls
- · Superior red powder coat finish



Multi-Purpose Roller Cabinet with Cabinet & 2 Drawer

iviuiti-Pui pose Rollei. Cat	Jillet <i>Witil</i> (Sabinet & 2	Diaweis
Description	Width	Depth	Height
Overall (with casters)	4011/16"	18"	41%"
1 Drawer	35%"	161/8"	41/8"
2 Drawers	21½"	161/8"	31/8"
1 Drawer	21½"	161/8"	2"
1 Drawer	21½"	161/8"	65/16"
1 Drawer	21½"	161/8"	91/2"
1 Compartment	1211/16"	161/8"	241/8"
2 Drawers	1113/16"	16%"	31/8"



Insert

Rollmaster Workstation

- Drawers and work surface feature ball bearing slides
- · Work surface opens to reveal a large storage compartment
- · Superior red powder coat finish
- 4" x 1" heavy-duty casters 2 swivel with locks and 2 fixed
- Protective rubber mat covers the entire work surface
- · Ships partially knocked down; assembles easily

No. 1458 - RollMaster with Expandable Work Surface

Description	Width	Depth	Height
Overall (with casters)	365/16"	211/8"	375/16"
Work Surface*	491/8"	201/2"	_
Middle Opening	19¾"	18"	8"
Top Compartment	291/8"	203/16"	185/16"
2 Drawers	24"	18½"	25/16"
Bottom Tray	291/8"	20¾16"	6%"

*Size with Expand-A-Top

Drop in our unique **"Expand-A-Top"** insert to extend the work platform by approximately 18"





Cabinet Style Rollmaster Workstation

- Drawers and work surface feature ball bearing slides
- Work surface opens to reveal a large storage compartment
- · Superior red powder coat finish
- 4" x 1" heavy-duty casters 2 swivel with locks and 2 fixed
- Protective rubber mat covers the entire work surface

No. 1459 - Cabinet Style RollMaster with the **"Expand-a-Top"** Work Surface

Description	Width	Depth	Height
Overall (with casters)	2713/16"	181/8"	325/8"
Work Surface*	46"	181/8"	_
Middle Opening	191/8"	15%"	10½"
Top Compartment	27"	171/8"	11"
2 Drawers	2213/16"	16%"	4"
1 Drawer	2213/16"	16%"	6"

*Size with Expand-A-Top





Steel Lockers



Single-Tier Lockers are widely used to provide ample storage for full length garments with shelf space for books, electronics, lunches, etc.

Double-Tier Lockers are designed for short coats and backpacks.

Triple-Tier Lockers save valuable floor space while providing over 2 cu. ft. of storage.



Multiple Tier Lockers Provide high density storage for individual belongings and supplies. Great in classrooms, laboratories, gymnasiums, sports and recreational facilities, and more.

W x D x H*	No. of	No. of	K.D.	Set Up
(per locker opening)	Frames		Cat. No.	Cat. No.
Single Tier				
12" x 12" x 60"	1	1	5002	5002SU**
12" x 12" x 60"	3	3	5002-3	5002-3SU**
12" x 15" x 60"	1	1	5012	5012SU**
12" x 15" x 60"	3	3	5012-3	5012-3SU**
12" x 18" x 60"	1	1	5022	5022SU**
12" x 18" x 60"	3	3	5022-3	5022-3SU**
12" x 12" x 72"	1	1	5112	5112SU**
12" x 12" x 72"	3	3	5112-3	5112-3SU**
12" x 15" x 72"	1	1	5032	5032SU**
12" x 15" x 72"	3	3	5032-3	5032-3SU**
12" x 18" x 72"	1	1	5042	5042SU
12" x 18" x 72"	3	3	5042-3	5042-3SU
15" x 18" x 72"	1	1	5062	5062SU**
15" x 18" x 72"	3	3	5062-3	5062-3SU**
18" x 18" x 72"	1	1	5092	5092SU**
18" x 18" x 72"	3	3	5092-3	5092-3SU**
18" x 21" x 72"	1	1	5102	5102SU**
18" x 21" x 72"	3	3	5102-3	5102-3SU**
Double Tier				
12" x 12" x 30"	1	2	5242	5242SU**
12" x 12" x 30"	3	6	5242-3	5242-3SU**
12" x 12" x 36"	1	2	5202	5202SU**
12" x 12" x 36"	3	6	5202-3	5202-3SU**
12" x 15" x 36"	1	2	5212	5212SU**
12" x 15" x 36"	3	6	5212-3	5212-3SU**
12" x 18" x 36"	1	2	5222	5222SU
12" x 18" x 36"	3	6	5222-3	5222-3SU
15" x 15" x 36"	1	2	5252	5252SU**
15" x 15" x 36"	3	6	5252-3	5252-3SU**
Triple Tier				
12" x 15" x 24"	1	3	5283	5283SU**
12" x 15" x 24"	3	9	5283-3	5283-3SU**
	J	3	3203-3	3203-330
Four Tier 12" x 12" x 12"	1 1	, ,	ESES	E2E2CII**
12" x 12" x 12"	1 2	4 12	5352	5352SU**
	3	1Z	5352-3	5352-3SU**
Five Tier	1 .	-	E00 5	F0.00C!!**
12" x 12" x 12"	1	5	5302	5302SU**
12" x 12" x 12"	3	15	5302-3	5302-3SU**
12" x 15" x 12"	1	5	5312	5312SU**
12" x 15" x 12"	3	15	5312-3	5312-3SU**
15" x 15" x 12"	1	5	5322	5322SU**
15" x 15" x 12"	3	15	5322-3	5322-3SU**
Six Tier				_
12" x 12" x 12"	1	6	5332	5332SU**
12" x 12" x 12"	3	18	5332-3	5332-3SU**
12" x 15" x 12"	1	6	5342	5342SU**
12" x 15" x 12"	3	18	5342-3	5342-3SU**
12" x 18" x 12"	1	6	5362	5362SU
12" x 18" x 12"	3	18	5362-3	5362-3SU

*Heights shown do not include legs-add 6" to height for legs.

**Call Customer Service for lead time.



Steel Lockers

Six Tier Multi-User Employee Lockers

Lyon multi-user lockers with Digilock SES locks allow employee lockers to be shared by multiple shifts, therefore reducing the number of lockers and real estate required for the lockers, while providing a significant deterrent to employee theft.



- Lockers can be audited by using the management bypass key
- · Lockers can be shared between shifts
- Digital locks are programmed to unlock after 12 hours of non-operation
- · Shipped set up

W x D x H* (per locker opening)		No. of Openings	Cat. No.
Six Tier			
12" x 12" x 12"	1	6	PP5332RLSU
12" x 12" x 12"	3	18	PP5332-3RLSU
12" x 18" x 12"	1	6	PP5362RLSU
12" x 18" x 12"	3	18	PP5362-3RLSU

*Heights shown do not include legs - add 6" to height for legs.



ACCESSORIES AND RELATED PRODUCTS

Management Key

- · Initializes the digital locks
- Allows simple access for management to open Digilock SES locks, if required
- Provides external power to the lock if batteries fail

No. 7029



In Stock PP Putty Additional colors are available upon request



For additional accessories, see pages 45-46

Features

With Digilock, when a lock is unlocked, it is considered available and can be locked with any 4-digit code by any employee. Digital locks are programmed to unlock after 12 hours of non-use to prevent a user from taking over a locker after a shift.

- Loss Prevention Lockers can be audited by using the management bypass key
- Shared use Lockers can be shared between shifts
- Reduces the total number of lockers required at a facility
- Digital locks are programmed to unlock after 12 hours of non-operation
- **Low cost** retail solution that quickly pays for itself within the first few months of implementation
- Helps deter employee theft as lockers can be audited at any time without disturbing the user code
- **Eliminates** lost keys, unavailable lockers, bolt cutters and the waste of management's time

NOTE: In the interest of safety, Lyon strongly recommends that lockers be floor and/or wall anchored. See page 45 for important locker anchoring information.





Steel Lockers

Antimicrobial Lockers

Antimicrobial lockers are recommended for healthcare, food processing facilities, and educational facilities of all types.

Antimicrobial steel lockers provide continuous, residual protection against the touch transfer of bacteria on the locker surface, as well as colonization of mold and bacteria in locker corners, seams and on hidden surfaces behind and under the locker.

- Agion™ antimicrobial advanced powder technology
- 20+ years of antimicrobial protection
- · Single and double tier openings
- Other sizes available upon request


Antimicrobial Lockers Feature:

- Antimicrobial coating
- · Recessed handles
- · Smooth fronts (no louvers)
- Sloping tops and
- E-Zee[™] closed bases










W x D x H* (per locker opening)	No. of Frames	No. of Openings	K.D. Cat. No.	Set Up Cat. No.	
Single Tier - Knocked	d Down				
15" x 18" x 72"	1	1	UGRNS5062H	UGRNS5062HSU	
15" x 18" x 72"	3	3	UGRNS5062-3H	UGRNS5062-3HSU	
18" x 18" x 72"	1	1	UGRNS5092H	UGRNS5092HSU	
18" x 18" x 72"	3	3	UGRNS5092-3H	UGRNS5092-3HSU	
Double Tier - Knocke	Double Tier - Knocked Down				
12" x 12" x 36"	1	2	UGRNS5202H	UGRNS5202HSU	
12" x 12" x 36"	3	6	UGRNS5202-3H	UGRNS5202-3HSU	
12" x 18" x 36"	1	2	UGRNS5222H	UGRNS5222HSU	
12" x 18" x 36"	3	6	UGRNS5222-3H	UGRNS5222-3HSU	

*Heights shown do not include E-Zee™ Base — add 4" to height for E-Zee™ Base. NOTE: E-Zee™ Base ships knocked down. Some easy assembly is required.



How Does it Work?

Any moisture triggers the controlled release of powerful silver ions (see charts) to provide superior antimicrobial protection for decades. The antimicrobial compound is completely inorganic, less toxic than ordinary table salt, less irritating than talcum powder, and has been approved by the EPA, FDA and NSF for medical devices and food contact applications.



NOTE: In the interest of safety, Lyon strongly recommends that lockers be floor and/or wall anchored. See page 45 for important locker anchoring information.

Workspace Products

Locker Accessories

Locker Accessories

Anchoring Systems

Important: In the interest of safety, Lyon strongly recommends that lockers be floor and/or wall anchored.

Anchoring Angle

For Lockers Without Legs

Locker Anchoring Angles (running from front to rear on the inside bottom of the locker) provide a bearing surface for the fasteners which are connected to the floor or locker base. Order one locker anchoring angle for each end of a row, plus sufficient quantity to provide angles on 36" centers. On single-row installations where backs are against a wall, lockers should be suitably wall anchored.

No. 5872 – For 12"d lockers **No. 5873** – For 15"d lockers **No. 5874** – For 18"d lockers **No. 5875** – For 21"d lockers MADE IN THE

Locker Foot

For Lockers With Legs

When backs are exposed (free-standing) a locker foot is recommended for all locker legs. When backs are against a wall and suitably wall anchored, locker feet are recommended on front legs only.

No. 5870

For more details — see assembly instructions packed with lockers.



Number Plates

- Etched black figures on aluminum plate
- Numbers stocked from 1 to 999

Size: 23/4"w x 1"h

(Must be purchased in addition to locker order.)

For Lockers and Baskets

No. 5829

For Basket Rack Shelves

No. 5939



Touch-up Paint

For fast, easy touch-ups. Choose $4\frac{1}{2}$ oz. spray can or bottle with touch-up brush.

Dove Gray

No. DD7003 — Spray Can **No. DDTOUCHUP** — Bottle

Putty

No. PP7003 — Spray Can **No. PPTOUCHUP** — Bottle

Wedgewood Blue

No. BB7003 — Spray Can

No. BBTOUCHUP – Bottle











Lock Options

Can be used with all locker handles, and retrofitted to existing installations.

Safe-O-Mat Locking System – A coin-deposit locking system. Designed to be installed like a built-in combination lock. Can be retrofitted to most existing lockers. Available from manufacturing schedules only.

Digilock can be locked with any 4-digit code by any employee. Digital locks are programmed to unlock after 12 hours of non-use to prevent a user from taking over a locker after a shift.

Flat-Key Locks – Same lock fits all Lyon Lockers except Personal Effects & ExchangeMaster®. Easy to install and furnished with two keys. **No. 7020**

Built-in Combination Locks – Five combinations per lock with master key for emergency access.

Combination Padlocks – For use with Tamber Guard Handles, Single Point Latching Systems, Recessed Handles and Pull Handles.




Locker Accessories



Top and Front Fillers


Used to close space between two lockers when obstruction prevents installation of a locker. Can be furnished on flat or

sloping tops.



Flat Top Fillers

WxD	Cat. No.
For Corners	
12" x 12"	5900
15" x 15"	5901
18" x 18"	5902
21" x 21"	5898
For Tops of Locker	s
9½" x 12"	5922
9½" x 15"	5923
9½" x 18"	5924
15½" x 12"	5925
15½" x 15"	5926
15½" x 18"	5927



Sloping Top Fillers


W _v D	Cat No
W x D	Cat. No.
For Corners	
12" x 12"	5903
15" x 15"	5904
18" x 18"	5905
21" x 21"	5899
For Tops of Lockers	
9½" x 12"	5916
9½" x 15"	5917
9½" x 18"	5918
15½" x 12"	5919
15½" x 15"	5920
15½" x 18"	5921



In Stock

DD Dove Gray PP Putty





Front Expansion Fillers

WxD	Cat. No.
For Lockers With 6'	' Legs
7½"w x 66"h	5906
7½"w x 78"h	5907
13½"w x 66"h	5910
13½"w x 78"h	5911
For Lockers Withou	t Legs
7½"w x 60"h	5912
7½"w x 72"h	5913
13½"w x 60"h	5914
13½"w x 72"h	5915



Note: Sloping-top lockers are available from manufacturing schedules at a slight additional cost.

Individual Slope-Top Kits

Quickly convert standard flat top steel lockers into sloping-top lockers. Includes hardware and instructions.

Slope-Top Kits include:

- tops and ends
- interim supports

Slope-Top Bulk Pack consist of:

- 40 slope tops
- 40 interim supports

Bulk pack ends (20 pairs) must be ordered separately.

Sizes		Kits		ackages
WxD	Cat. No.	Cat. No.	Cat. No.	Cat. No.
				Pair of Ends
	1-Wide	3-Wide	(40 Pack)	(20 Pack)
12" x 12"	5830-1	5830	5841	5842
12" x 15"	5831-1	5831	5846	5847
12" x 18"	5832-1	5832	5851	5852
15" x 15"	5833-1	5833	5856	5847
15" x 18"	5834-1	5834	5861	5852
18" x 18"	5835-1	5835	5866	5852
18" x 21"	5836-1	5836	N/A	N/A

Not designed for use on expanded metal or welded lockers.

Closed Style Bases

Quickly attach without tools to lockers with 6" legs. For Standard and Expanded Metal Lockers.



Front Bases*

Pack of 6

No. 5800 - 12"w x 6"h

No. 5801 - 15"w x 6"h

No. 5802 - 18"w x 6"h

*One and three packs also available.

End Bases

Only required at exposed ends. Pack of 2

No. 5803 – 12"d x 6"h

No. 5804 – 15"d x 6"h

No. 5805 – 18"d x 6"h

No. 5806 - 21"d x 6"h





Steel Lockers

Integrated Frame All Welded Lockers IFAW

Solidly built to deliver years and years of trouble-free service, these top-of-the-line lockers satisfy a wide variety of requirements — including applications in scholastic, athletic and industrial facilities.

- M.I.G. welded 16-gauge steel bodies with heavy-duty 14-gauge steel doors
- Lyon integrated frame construction adds strength and rigidity for longer life
- 18-gauge reinforcing panels welded to inside door facings
- Durable, recessed, zinc alloy handles with snagfree nickel plated finish include padlock attachment (padlocks not included)
- Optional built-in locks available with wrap around technology
- · Diamond-shaped perforations are standard
- Available with mini-louvers or no louvers (special order)





Order one No. QN7313WDPD & receive this one section: one frame wide (one locker opening). Order one No. QN73133WDPD & receive this one section: three frames wide (three locker openings).

W x D x H* (per locker opening)	No. of Frames	No. of Openings	Cat. No.
Single Tier Lockers			
12" x 12" x 72"	1	1	QN7312WDPD
12" x 12" x 72"	3	3	QN73123WDPD
12" x 18" x 72"	1	1	QN7315WDPD
12" x 18" x 72"	3	3	QN73153WDPD
18" x 18" x 72"	1	1	QN7329WDPD
18" x 18" x 72"	3	3	QN73293WDPD
Double Tier Lockers			
12" x 12" x 36"	1	2	QN7382WDPD
12" x 12" x 36"	3	6	QN73823WDPD
12" x 18" x 36"	1	2	QN7385WDPD
12" x 18" x 36"	3	6	QN73853WDPD





ALSO AVAILABLE

Three, four, five and six-tier allwelded selections also available from manufacturing schedules and are standard with single point recessed handles.









NOTE: In the interest of safety, Lyon strongly recommends that lockers be floor and/or wall anchored. See page 45 for important locker anchoring information.




Steel Lockers



Expanded Metal Lockers

Expanded metal lockers provide ideal clothing/uniform storage. Reduces odor through ventilation. Visual inspection encourages neatness and discourages storage of unauthorized articles.

- · Heavy-duty 13-gauge steel diamond mesh construction
- · Diamond-shaped steel mesh on front and sides provides air circulation
- Handles have built-in padlock attachment and may be equipped with built-in locks (locks not included)



Shipped knocked down or all-welded construction

hook under the storage shelf with three singleprong coat hooks.

24" Wide Team Lockers - One double-prong coat hook under the storage shelf and four singleprong hooks.







Reinforcing K-brace welded to the door frame provides additional strength





Single Tier Lockers - One double-prong coat

Double Tier Lockers - One double-prong ceiling hook and 3 single-prong hooks per opening.

Six Tier Lockers - All doors have a combination door pull-padlock hasp. Doors have 17/32" x 11/16" diamond shaped perforations. Sides are 13-gauge diamond-shaped steel mesh.



In Stock **DD** Dove Gray

PP Putty




Additional colors are available upon reauest

Expanded Metal Lockers

W x D x H*	1-Wide	2-Wide	
(per locker opening)	Cat. No.	Cat. No.	
	STARTER	ADD-ON	
Single Tier Lockers			
12" x 18" x 72"	6012	6012-2	
18" x 21" x 72"	6018	6018-2	
Wide Team Locker - Single Tier			
24" x 21" x 72"	6023	6023-2	
Double Tier Lockers			
12" x 18" x 36"	6034	6034-2	
15" x 21" x 36"	6038	6038-2	
Six Tier Lockers			
12" x 12" x 12"	6064	6064-2	
12" x 15" x 12"	6065	6065-2	

*Heights shown do not include legs - add 6" to height for legs.




Product numbers listed in the charts indicate 6" legs. If legs are not needed, specify when ordering. Call Customer Service for lead time.

All-Welded Expanded Metal Lockers

W x D x H* (per locker opening)	1-Wide Cat. No.	3-Wide Cat. No.
Single Tier Lockers		
12" x 18" x 72"	6012-W	6012-3W
Double Tier Lockers		
12" x 18" x 36"	6034-W	6034-3W
Six Tier Lockers		
12" x 18" x 12"	6066-W	6066-3W

*Heights shown do not include legs - add 6" to height for legs.



NOTE: In the interest of safety, Lyon strongly recommends that lockers be floor and/or wall anchored. See page 45 for important locker anchoring information.




Tool Transporters / Cabinet Benches

Pre-Engineered NC/CNC Tool Transporter Units

- 1,200 lb. load-carrying capacity
- 5" diameter, 2" wide polyurethane casters (2 swivel with brakes, 2 fixed)
- 16-gauge sides are punched on 1" centers for maximum adjustability
- · Heavy-duty, 12-gauge base
- Tubular steel handle

- Auxiliary work shelf is 23¾"w x 10¾"d with 15½" lip and rubber mat
- 26½"w x 235%"d x 385%"h (add 5" to width for handle)
- · Black, baked-on enamel finish
- * IMPORTANT: Tool holders are not included Must be ordered separately.

Tool Holder Selection Guide







Includes (1) 24-pocket flat tray, (1) 24-pocket angled tray and (1) work shelf.

No. 4110*



No. 4100 -CNC tool transporter

Cabinet Benches



- Heavy steel tops allow mounts for small grinders, vises, or office machines
- Lockable storage area offers 12 square feet of space with center shelf adjustable on 1½" centers
- Back and end stops, 2" high, are part of top, top may be inverted if flat surface is desired
- Dual swinging doors feature 3-point locking device
- Heavy-gauge steel construction
- Door openings are 34½"w x 24¼"h

Cabinet Bench

No. 3000 - 36"w x 24"d x 34"h **No. 3003** - Extra Shelf

Color Selection

In Stock

DD Dove Gray

PP Putty

Also Available
BB Wedgewood Blue

Mobile Cabinet Bench

Tubular steel handle aids mobility on 3½" Dyna-Tred casters (2 fixed, 2 swivel with foot brake).

No. 3001 – 36"w x 24"d x 34"h

No. 3003 - Extra Shelf

No. 3032 – Extra Casters (2 fixed, 2 swivel with foot brake)



Mobile Cabinet Bench with Drawers

Tubular steel handle aids mobility on 3½" Dyna-Tred casters (2 fixed, 2 swivel with foot brake).

No. 3004 – 36"w x 24"d x 42⁹/₁₆"h

No. 3003 - Extra Shelf

No. 3032 - Extra Casters (2 fixed, 2 swivel with foot brake)



MADE IN T

Cabinets



Deluxe Computer Workstation

- Clear view monitor door allows for visibility and protection of up to a 24" monitor
- Individually locking monitor, keyboard and printer/CPU doors
- Four, 5" diameter swivel casters with total-lock brake and rubber wheel tread
- Includes pre-installed 80 cfm cooling fan with filter media and 6 outlet surge protector

No. 250680PCMRD with casters
No. 250680PCSRD without casters





Color Selection

DD Dove Gray
PP Putty

Also Available
BB Wedgewood Blue

HH Cardinal Red
JJ Forest Green

KK Black

Mobile Computer Cabinets

Now, house your terminal, keyboard, printer and paper in these affordable mobile cabinets.

- Designed for industrial, automotive and institutional applications
- Cabinet rolls easily on 3-1/2"
 Dyna-Tred Casters
 (2 swivel-braking, 2 fixed)
- Overall Size: 27"w x 24"d x 48"h

No. 3050 - Available with lock





Color Selection

In Stock
DD Dove Gray

Also Available

BB Wedgewood Blue

PP Putty



All-Welded Carts



All-Welded Service Carts

• Durable 12-gauge steel shelves with 3/16" thick angle corners

• 12-gauge caster mounts

- 2 bolt-on 5" urethane casters swivel, 2 rigid
- 1,200 lb. capacity, evenly distributed
- · Color: Dove Gray

Classic Service Carts

- Comfort radius bend tubular handle
- 11/2" shelf lips up for retention
- Overall size: 24"w x 36"l x 35"h

No. 35211U5 - 2 shelves

No. 35213U5 - 3 shelves

Ergonomic Service Cart

- Ergonomic radius bend tubular handle
- 1½" shelf lips up for retention
- 12" clearance between shelves
- Overall size: 24"w x 36"l x 35"h

No. 35218U5

Offset Handle Low Profile Cart

- 27" high top shelf for a shorter lift of heavier items
- Shelf lips are 1½" down on the top shelf, up on the bottom, with 17" of clearance between shelves
- Overall size: 24"w x 36"l x 37"h

No. 35221U5

Deep Lipped Service Carts

- Tubular radius bend handle
- Clearance between shelves (16" on No. 35219U5; 22" on No. 35220U5)
- Overall size: 24"w x 36"l x 35"h

No. 35219U5 - 3" shelf lips up for retention

No. 35220U5 - 6" shelf lips up for retention

Angular Frame Instrument Cart Durable 12-gauge

- Durable 12-gauge steel shelves covered with non-conductive cushioned vinyl matting
- ¾6" thick angle corners and 12-gauge caster mounts
- Shelf lips are 1½" down with 17" of clearance between shelves
- Offset handle raised 8" above top shelf
- 2- 8" bolt-on fully pneumatic casters swivel, and 2 rigid
- 1,200 lb. capacity
- Overall size: 24"w x 36"l x 39"h
- · Color: Putty

No. 35265P8

All-Welded Panel Cart

- 112 plastic bin cart with double-sided access louvered panel frame
- 16 Large 8¼"w x 11"d x 7"h bins; 48 Medium 5½"w x 11"d x 5"h bins; 48 Small 4½"w x 7½"d x 3"h bins




- 12-gauge steel shelf, 12- gauge caster mounts. 11/2" bottom shelf lip faces up
- Tubular radius bend handle
- 2 bolt-on 5" urethane casters swivel, 2 rigid
- 1,200 lb. capacity
- Overall size: 30"w x 36"l x 64"h

No. 35254U5 - with 112 bins

No. 35154U5 - without bins

Service Carts

 Tubular steel handles with big 5" casters.



• Polyflex casters: 2 swivel, 2 fixed



WxDxH	Platform Tray	16 Plastic Bins	Sliding Work Surface	Service Cart Cat. No.	Extra Center Shelf Cat. No.
24" x 36" x 32"				3033	3037
16" x 30" x 32"				3030	3036
16" x 30" x 32"	X	X		3030BP	-
16" x 30" x 32"		Х		3030B	-
16" x 30" x 32"	X		X	3030TP	3036
16" x 30" x 32"	X			3030P	3036
16" x 30" x 32"		Х	Х	3030TB	-
16" x 30" x 32"			Х	3030T	3036
16" x 30" x 32"	Х	Х	Х	3030TBP	-

No. 3032 - Replacement Caster Set for Service Carts






Work Benches

Adjustable Slide Bolt Leg Work Benches

- Putting tasks at the correct heights improves worker comfort, and increases productivity
- Steel slide-bolt bench legs enable you to position bench tops from 29" to 37" high
- Built-in bolts secure legs within a 8" sliding range
- · Leg levelers included





Color Selection

In Stock
DD Dove Gray

PP Putty

Work Bench with Stringer & "Perfect-Fit" Drawer

Work Bench with Stringer, "Perfect-Fit" Drawer & Shelf

WORK BENCH SIZES

	48"w x 28"d	60"w x 28"d	60"w x 34"d	72"w x 28"d	72"w x 34"d			48"w x 28"d	60"w x 28"d	60"w x 34"d	72"w x 28"d	72"w x 34"d
					12-Gau	ge Steel - 1-3/	4" Thic	k				
(A)	2468AS	2502AS	2503AS	2504AS	2505AS		(C)	2462AS	2463AS	2464AS	2465AS	2466AS
(B)	2474AS	2522AS	2523AS	2524AS	2525AS	1	(D)	2400AS	2401AS	2402AS	2403AS	2404AS
					Pressed Woo	od Over Steel -	1-7/8"	Thick				
(A)	N/A	2530AS	2531AS	2532AS	2533AS		(C)	N/A	2469AS	2470AS	2471AS	2472AS
(A) (B)	N/A	2534AS	2535AS	2532AS 2536AS	2537AS	4	(D)	N/A	2405AS	2406AS	2471/\S 2407AS	2472/\S 2408AS
(5)	1077	200 17 10	2000/10	2000/10		1 1 0 (1)		1077	2100/10	2 1007 10	2107710	2 100/10
						wood - 1-3/4"		l				
(A)	N/A	2540AS	2541AS	2542AS	2543AS		(C)	N/A	2506AS	2507AS	2508AS	2509AS
(B)	N/A	2550AS	2551AS	2552AS	2553AS	1300	(D)	N/A	2427AS	2428AS	2429AS	2430AS
					Pressed Woo	d Over Wood -	1-1/2	Thick				
(A)	N/A	2444AS	2445AS	2446AS	2447AS		(C)	N/A	2514AS	2515AS	2516AS	2517AS
(B)	N/A	2454AS	2455AS	2456AS	2457AS		(D)	N/A	2431AS	2432AS	2433AS	2434AS
					Lami	inate - 1-5/8" 1	Thick	l				
(A)	N/A	2476AS	2477AS	2478AS	2479AS		(C)	N/A	2518AS	2519AS	2520AS	2521AS
(B)	N/A	2480AS	2481AS	2482AS	2483AS	1	(D)	N/A	2435AS	2436AS	2437AS	2438AS
(-)						Top - 1-3/4"						
65 3		010010	010010	040040		45 1 20			25//10	07/740	07/040	05.154.0
(A)	N/A	2488AS	2489AS	2490AS	2491AS		(C)	N/A	2544AS	2545AS	2546AS	2547AS
(B)	N/A	2492AS	2493AS	2494AS	2495AS		(D)	N/A	2439AS	2440AS	2441AS	2442AS
					Hardwood with	n Comfort Edge	- 1-3/	4" Thick		1		
(A)	N/A	2565AS	2566AS	2567AS	2568AS	-	(C)	N/A	2577AS	2578AS	2579AS	2580AS
(B)	N/A	2569AS	2570AS	2571AS	2572AS		(D)	N/A	2448AS	2449AS	2450AS	2451AS
	I			I	Graphite (Composite - 1-	1/2" Th	ick				
(A)	N/A	2410AS	N/A	N/A	N/A		(C)	N/A	2411AS	N/A	N/A	N/A
(B)	N/A	2420AS	N/A	N/A	N/A	The second second	(D)	N/A	2421AS	N/A	N/A	N/A





Work Benches

Adjustable Leg Work Benches

- Sturdy steel channel legs, adjust top from 271/4" to 361/4" high
- · Welded steel cross members add strength and durability
- Electrical knockouts on each leg offer space for duplex outlet boxes (not included) and subsequent electrical hookup
- Each bench selection is available in your choice of eight different tops, as listed below


In Stock DD Dove Gray PP Putty

OPTIONAL PRODUCTS

- Leg levelers afford easy adaption to uneven flooring for stability
- 9" adjustment range

No. NF2757









Work Stations

Pre-Engineered Assembly Work Stations and Electronic ESD Work Stations

- Adjustable steel channel-legs with levelers, provide bench heights from 27¼" to 36¼" (add 15½" for top)
- Ideally suited for all types of assembly operations, as well as office, school and commercial use
- · Electrical knockout on each leg
- Laminate tops have 180° soft front edge for worker comfort
- Utility drawer includes sliding tray and padlock attachment



	60"w x 28"d	60"w x 34"d	72"w x 28"d	72"w x 34"d
(A)	77518	77524	77618	77624
(B)	77538	77544	77638	77644
(C)	77528	77534	77628	77634
(D)	77548	77554	77648	77654
(E)	75518	75524	75618	75624
(F)	75538	75544	75638	75644
(G)	75528	75534	75628	75634
(H)	75548	75554	75648	75654















ESD Static Dissipative is a solidlaminate. 180° soft edges and sealed finish with surface resistivity of 10° to 10° OHMS, 100 volts.

- · Includes ground cord
- 15/8" Thick



Laminate tops have particle board core with laminate cover, offering 180° soft edge with chip resistant.

• 15/8" Thick



- Leg levelers afford easy adaption to uneven flooring for stability
- 9" adjustment range





Work Benches

Steel Flared Leg Work Bench

- · Leg Height is 321/4" high, add for top thickness
- Heavy channel steel flared legs provide sturdy base for a variety of bench work tasks
- Steel cross members welded between each upright add strength and rigidity
- Base plates punched for floor bolts provide 24 square inch floor bearing surface per leg

Color Selection

In Stock
DD Dove Gray


PP Putty

Example

Pre-engineered work station (No. 2510) shown in Putty with Low Profile Drawer, Shelf Riser, Outlet Strip, and Back and End Stops.



Work Bench






Work Benches

Double Wide Work Benches

- Expansive 8' wide work surfaces with no center-leg obstruction
- · Perfectly suited for two people working side-by-side, or for accommodating large tools, parts and equipment
- All benches have capacity of 1,000 lbs., shelves 150 lbs., based on evenly distributed loads







Pre-engineered 8' Double Wide Work Benches

Work Surfaces (Tops)	with Stringer Only	with Stringer & Shelf		with Stringer Shelf & Drawer
96" wide	Flared Le	g Benches –	34" high	
28"d Steel	2610	2612	2611	2613
34"d Steel	2614	2616	2615	2617
28"d Hardwood	2618	2620	2619	2621
34"d Hardwood	2622	2632	2623	2633
96" wide	Adjustabl	le Leg Benche	es – 29 " to 3	8" high
28"d Steel	2610A	2612A	2611A	2613A
34"d Steel	2614A	2616A	2615A	2617A
28"d Hardwood	2618A	2620A	2619A	2621A
34"d Hardwood	2622A	2632A	2623A	2633A

ADJUSTABLE I	LEG	Bench with Stringer and Shelf
Bench with Stringer, Shelf, & 2 Drawers		T

Components for 8' Double Wide Work Benches

Description	Size	Cat. No.
Steel Bench Top	96"w x 28"d x 1¾"thick	2773
Steel Bench Top	96"w x 34"d x 1¾"thick	2774
Stringer	96''w	2653
Back and End Stops	96"w x 28"d	2606
Back and End Stops	96"w x 34"d	2607
Shelf	96''w	2646
Shelf and Stringer	96"w	2647
Laminated Hardwood Top	96"w x 28"d x 1¾"thick	2721
Laminated Hardwood Top	96"w x 34"d x 1¾"thick	2722
12" Shelf Risers*	48"w x 10½"d x 12"h	2624
18" Shelf Risers*	48"w x 14"d x 18"h	2627
Bench Legs (call for details)		

*Order 2 Shelf Risers per bench

Mobile/Roll Around Work Bench

· Comes complete with top, shelf, stringer, back and end stops, and legs

Mobile Work Bench

- · Bench wheels are stationary, 3" in diameter
- Wheelbarrow type handles slide out of the way under the bench top

No. 2560 – 72"w x 28"d x 34"h


No. 2562 - Extra casters for 2560

Roll Around Work Bench

• Features two 3" swivel casters with side brakes and two 3" rigid casters for maximum mobility and lock in place stability

No. 2563 – 60"w x 28"d x 34"h

No. 2564 – 72"w x 28"d x 34"h









Pre-Engineered Modular Work Stations

- Versatile combinations include both cabinet pedestals and drawer pedestals with smooth gliding ball bearing rollers and removable sliding trays
- Bases on cabinets can be removed to lower work height to 28¾" for use as a desk in the factory
- Each unit stands 321/4" high without top

WORK BENCH SIZES

2979

2978

- Units will accept 28" deep back and end stops and shelf risers
- Drawers are equipped with padlock hasp (padlock not included). Order built-in grooved key lock separately.

Color Selection In Stock

DD Dove Gray
PP Putty



TOPS

WORKBENCH SIZES

2983

2984

60"w x 28"d 72"w x 28"d 60"w x 28"d 72"w x 28"d 12-Gauge Steel - 13/4" Thick 2901 2903 2905 2906 Pressed Wood Over Steel - 17/8" Thick 2907 2912 2913 2918 Hardwood - 13/4" Thick 2919 2923 2924 2925 Pressed Wood Over Wood - 11/2" Thick 2927 2929 2930 2931 Laminate - 15/8" Thick 2951 2955 2957 2961 Shop Top - 13/4" Thick 2973 2963 2967 2972 Hardwood with Comfort Edge - 13/4" Thick



WORKBEN	CH SIZES	TOPS	WORK BEI	NCH SIZES
60"w x 28"d	72"w x 28"d		60"w x 28"d	72"w x 28"d
	12-G	auge Steel - 1³/₄"	Thick	
2933	2935	1 1 1 1 1 1	2932	2934
	Pressed W	lood Over Steel -	17/8" Thick	
2936	2937	1 1	2938	2940
	На	ırdwood - 1³/₄" Th	ick	
2942	2943		2944	2946
	Pressed W	lood Over Wood -	11/2" Thick	
2948	2949		2950	2952
	La	aminate - 1⁵/₅" Th	ick	
2953	2954		2956	2958
	SI	10p Top - 1³/₄" Th	ick	
2959	2960		2945	2947
	Hardwood v	vith Comfort Edge	e - 1 ³ / ₄ " Thick	
2965	2966	The same of the sa	2939	2941



Shop Desks and Cabinets

Color Selection

DD Dove Gray

PP Putty

Steel Shon Desks and Cabinets All shop desks and cabinets feature heavy-gauge steel tops, sides and legs.



Cabinet Desk

- Same features as Shop Desk but with large bottom cabinet-type storage area that is fully lockable
- Right-hand cabinet door has chrome plated handle with built-in 3-point locking device

No. 2251 – 34½"w x 27¾"d x 52½"h



Wall Desk

- Attaches to any wall, building or shelving rack end
- Includes storage compartment under lift-top. Built-in lock for security
- · 2 supporting braces are included



Tool Stand Cabinet

- Sturdy, small work surface and space to lock up valuables
- 3 shelves adjust every 2"
- · Built-in lock. Chrome-plated handle
- Top reverses for flat working surface

No. 3010 – 21¹/₄"w x 15¹/₄"d x 33¹/₂"h

No. 3150 - Set of casters for No. 3010



- · Sides and back punched every inch for 21/2" pegs
- 2-point latching device with padlock attachment (padlock not included)
- Includes shelf, socket tray and 18 pegs

No. 3020 – 24"w x 12"d x 35"h

Shop Desk

- · Writing surface, storage space, and lockable compartment
- · Heavy-duty lower shelf is bolted in place
- Drawer is 22¾"w x 27½"d x 3½"h
- Overall Size: 34½"w x 30"d

No. 2250 - without casters



Mobile Shop Desk

· Swivel casters are 21/2" in diameter. Front casters nearest to user have foot-controlled locking lever. Adds 3" to height

No. 2254 - with casters

No. 2256 - replacement casters (4)

The Adjustable Height Leg

Set the desk front height from 365/8" to 427/8" with intermediate adjustments at 37\%", 39\%" and 411/8". (Add 3" for casters on mobile desk - legs on cabinet desk are fixed.)

Pre-Engineered Modular Shop Desks

- · Heavy-duty steel construction stand-up desks
- Hasps on drawers accept padlocks (not included)
- Optional key-locks for cabinets
- Overall Size: 34%"w x 20"d x 48¹/₁₆"h, with desk top height of 4111/16



Three Drawer Cabinet/Desk

- 3 low-profile drawers
- Cabinet w/adjustable shelf & end support assembly

No. 2259



Four Drawer Cabinet/Desk

- 1 low-profile drawer
- 3 double height drawers.
- · Cabinet w/adjustable shelf & base

No. 2257



Four **Drawer Desk**

- 2 low-profile drawers
- 2 double height drawers
- · Base & end support assembly

No. 2255



Five Drawer Desk

- 1 low-profile drawer
- 3 "Perfect-Fit" drawers
- 1 double height drawer
- · End support assembly

No. 2258



All-Welded Stools, Work Stools and Trolleys

All-Welded Stools

All stools come with large, comfortable seats with rounded corners, perforated for ventilation. Also included is a strong channel brace foot rest. Legs come pre-punched for channel leg extension.

400 lb. rating based on all four legs on flat even surface. Tilting the stool back onto two legs and the consequential bending of those legs negate the warranty and compromise the overall capacity rating.







Swivel Casters

Dyna-Tred Santoprene casters give a cushioned ride. Increases height of stool 23/8" 2" diameter wheel. No. 1962



Pressed Wood Seat

Tempered for strength. Fits flush with face of seat. Will not warp, splinter or absorb moisture. Low profile nylon clips secure seat without discomfort. 131/8" square, 1/8" thick. No. 1955



Steel Backs

Attaches to bottom of steel seat. Adjusts from 8" to 10" above seat. Curved back for more comfort. 13"w x 41/2"h. No. 1950



Seat & Back Cushions

3/4" cut polyfoam rubber with black vinyl cover. Meets CA (117-75) and Dept. of Commerce (191-53) flammability regulations.

No. 1951 - Back cushion No. 1956 - Seat cushion

		Color Selection
NACEN US		In Stock DD Dove Gray Also Available BB Wedgewood Blue PP Putty
Stool with Steel Seat	Stool with Back and Steel Seat	FEET

		Steel	Seat	
Height	Cat. No.	Height	Cat. No.	
			Stools	With Steel Glide Feet
18"	1700	18"	1704	Fitted to all
22"	1750	22"	1754	stools for easy
24"	1800	24"	1804	gliding. 11/6" diameter
26"	1850	26"	1854	diameter
30"	1900	30"	1904	No. 1964–Glide only
			Stools W	ith Black Rubber Feet
18"	1701	18"	1705	Black rubber
22"	1751	22"	1755	foot, 1 ¹³ / ₆ "
24"	1801	24"	1805	diameter, 11/4"
26"	1851	26"	1855	high
30"	1901	30"	1905	No. 1960-Glide only
		Stools Wit	th Black Rubber	Feet With Steel Glide
18"	1702	18"	1706	Black rubber
22"	1752	22"	1756	foot with steel
24"	1802	24"	1806	glide 11% " diameter, 1% "
26"	1852	26"	1856	high
30"	1902	30"	1906	No. 1961-Glide only
			Stools With Adj	ustable Leg Extension
18"	1724	18"	1728	Extends
22"	1774	22"	1778	height up to
24"	1824	24"	1828	3" higher.
26"	1874	26"	1878	
30"	1924	30"	1928	No. 1963-Extension

Adjustable Work Stools and Trolleys

All Built To Be Durable and Attractive!



Tool Trolleys

Stool with 18" diameter tool tray ends squatting, bending or kneeling in maintenance and service operations.

- 3" soft tread casters for hard surfaces
- · Seat capacity: 250 lbs.
- · Steel dividers
- · Dust cover included

No. 2087N – $15\frac{1}{2}$ " to $20\frac{1}{2}$ "

No. 2088N $- 19\frac{1}{2}$ " to $26\frac{3}{4}$ "



Utility Stool

- Padded 14" diameter seat with 20" diameter foot ring
- Seat height adjusts 20" to 31"

No. 2032P



Ergonomic Seating and Shop Stools

Sit-Stand

Take up to 70% of your weight off your legs and feet while increasing productivity at your work station! The height adjustable seat pivots and rotates providing ergonomic body movement while working.

- · Adjustable seat height with a 10" range
- Ergonomically formed, padded polyurethane seat
- Gravity lock locking system
- Seat rotates left and right with memory return to 12 o'clock position

No. 2092N





CAPACITY

Lift the adjustment paddle to change seat angle within a 20° pivot range.



Small wheels embedded in the base provides easy transporting.



Heavy-Duty Production Chair

Designed for Maximum Comfort and Support!

350 lb. capacity heavy-duty chair is equipped with generously sized polyurethane seats and backs that are ergonomically contoured, and a specially designed lift to accommodate most body size or work type requirements.

- 25" wide, five-leg steel base
- 20" wide seat, 18" wide back
- · Heavy-duty lift with back tilt adjustment
- 20" to 28" height range
- Telescoping dust cover conceals lift

No. 10-3262HD



Low Profile Shop Stool with Tool Tray

Ends squatting or kneeling in maintenance and services operations

- 18" higl
- · Steel frame with tray
- 3" industrial soft tread casters
- Industrial vinyl contoured seat with foam padding
- 250 lb. capacity

No. 2089

Shop Stool with Back and Tool Tray

- Adjustable tool tray
- 3" industrial soft tread casters
- Industrial vinyl contoured seat with foam padding



High Profile

Combines a high profile industrial chair with an adjustable tool trolley.

- 22" to 24³/₄" pneumatic height adjustment
- 24" tubular steel base

No. 2086



Ergonomic Seating

Multitask Chairs

Heavy-duty ergonomic seating for industrial and manufacturing environments.

- Seat height adjustable between 19" to 37", through pneumatic lift and adjustable collar
- Polyurethane seats and backs wipe clean in harsh environments
- Durable footrests for ease of rising and sitting
- 14-gauge, 11/4" tubular steel base
- 26" wide, five-leg base
- 300 lb. capacity



- 1 top footrest and 2 intermediate footrests
- 20" wide seat 18" wide back
- Independent control seat mechanism with free-float seat and back tilt
- 12° seat adjustment and 25° back adjustment
- 2" back height adjustment

No. 10-3263



- · 2 intermediate footrests
- 20" wide seat 18" wide back
- Back tilt adjustment 25° back adjustment
- 2" back height adjustment

No. 10-3262

Industrial Seating

Industrial seating is engineered to maximize comfort and increase productivity in heavy industrial, institutional and commercial use.

- Seat height adjustable between 17" to 35", through pneumatic lift land adjustable collar
- Polyurethane seats and backs wipe clean in harsh environments
- 20" diameter foot ring with height adjustment
- 14-gauge, 11/4" tubular steel base
- 25" wide, five-leg base
- · 300 lb. capacity



Standard Industrial Chair

- Large padded foam seat: 161/2"w x 161/2"d
- Padded backrest:143/4"w x 83/4"h
- Backrest depth and height adjust 3"
- 2 level footrest

No. 2024N



Contoured Industrial Chair

- Extra large Contoured foam seat:19"w x 171/2"d
- Large padded backrest: 151/2"w x 121/2"h
- Backrest angle adjusts 20° and height 5" with convenient lockdown knobs
- 3 level footrest

No. 2025N





Spider Stool

- Contoured seat 161/2"w x 161/2"d
- Large padded backrest: 151/2"w x 121/2"h
- Adjustable back rest depth• Seat height adjusts 21" to 31"
- Tubular bottom steel base with glides

No. 1990



Ergonomic Seating

Operational Seating

- · Seat height adjustable between 19" to 27", through pneumatic lift
- · Polyurethane seats and backs wipe clean in harsh environments
- · Telescoping dustcover conceals lift
- · Adjustable 20" diameter chrome foot ring
- · Five leg 26" diameter base of molded nylon with webbed fiberglass reinforcement
- · 300 lb. capacity



- · Large padded backrest 15½"w x 12½"h
- Backrest angle adjusts 20° and height 5" with convenient lock-down knobs

No. 2045N



- abrasion resistant fabric
- 1,000,000 double rubs
- Extra large 3" thick molded foam seat 20"w x 18"d
- Extra large backrest 16"w x 15"h
- Backrest angle adjusts 20° and height 5" with convenient lock-down knobs

No. 2045FG - Gray Fabric



Clean **Room Chair**

- Padded foam seat 161/2"w x 161/2"d
- Backrest 143/4"w x 83/4"h
- · Backrest depth adjusts 3"

No. 2043CRN - Standard Chair No. 2071CR - Clean Room Casters

Clean Room Seating

Lyon Clean Room Seating has all the features and construction of other ergonomic seating, only it is specifically designed for the demands of a clean room environment. The self-skinning microcellular seats and backs prevent dirt from penetrating into the foam, ideal for controlled environments. Prepared for shipment per Federal Standard 209B specifications. Also meets all Class 10 requirements.

- · Seat height adjustable between 19" to 27", through pneumatic lift
- · Adjustable 20" diameter chrome foot ring
- · Five-leg 24" diameter base of polished aluminum
- ESD glides reduce dirt build-up
- · 300 lb. capacity

ESD Operational Seating

All components, integrated into one complete circuit, enable static electricity to be discharged through glides in base of chair. Each chair tested before shipment.

- · Seat height adjustable between 19" to 27", through pneumatic lift
- ESD seat and back fabric has copper fibers and special ESD treatment, Scotchguarded and exceptionally durable
- Standard fabric color is graphite (gray)
- Conductive glides
- · 300 lb. capacity



- · Abrasion resistant fabric
- Large 21/2" thick molded foam seat 18"w x 18"d
- · Large backrest 15"w x 11"h
- · Backrest depth and height adjusts 3"

No. 2054N



- Extremely durable, abrasion resistant fabric
- Extra large 3" thick molded foam seat 20"w x 18"d
- Extra large backrest 16"w x 15"h

No. 2056N








Protective Guard-Rail Systems

Reduce machinery downtime, inventory losses and workrelated injuries with the Protective Guard Rail System. Heavy duty columns and rails form protective barriers for in-plant work areas, office walls, doorways, building passages and driveways.





Pre-Engineered Single Rail Sections

For basic systems, simply start with the appropriate Starter rail, then add Add-Ons as necessary. All rails are 12" high, with 18" high columns.



Cat. No.	Nominal Length*	Beam Length*	Туре
40100	10'	9'8"	Starter
40110	10'	9'8"	Add-On
40120	6'	5'8"	Starter
40230	6'	5'8"	Add-On

*NOTE: Lengths shown are center to center.

Guard-Rail Components/Options

Safety Yellow
Rails and Accessories



TB Blue

Use with columns to custom-build protective barriers for your operations. All lengths shown are 12" high.

No. 40004 - 4' long nominal, 3'8" actual

No. 40005 - 5' long nominal, 4'8" actual

No. 40006 - 6' long nominal, 5'8" actual

No. 40007 - 7' long nominal, 6'8" actual

No. 40008 – 8' long nominal, 7'8" actual

No. 40010 – 10' long nominal, 9'8" actual



Column Posts

Use single columns for single rail applications, dual for two rails, and triple for full 42" high protection.

(A) No. 40003 - Triple, 42" high

(B) No. 40002 – Dual, 42" high

(C) No. 40000 - Single, 18" high



Flared Ends

Deflects vehicular traffic impact. 10 ga. 10" high, 91/8" long.

No. 40024



Bollards

Use to protect dock doorways and building passages. Also great to direct traffic flow. 42" high, 65%" diam. x 1/4" thick.

No. 40026



Corner Guards

Add protection for office and wall corners. Full gussets to withstand impact. $4\frac{1}{2}$ " diam. $x\frac{1}{4}$ " thick. 18" height.

No. 40020





P.O. Box 671 Aurora, IL 60507-0671

Telephone: 630-892-8941 Literature: 800-323-0096

Customer Service: 800-323-0082

Fax: 800-367-6681

email: Iyon@Iyonworkspace.com

lyonworkspace.com





Iyonworkspace.com

Log onto *lyonworkspace.com* your online resource to:

- Find a local LYON sales representative
- Contact us for product support and sales
- · Review our online product catalog
- · Download sell sheets, catalogs and instruction sheets
- Review LYON's featured products
- Get the latest LYON's news releases

Can't find exactly what your looking for? Lyon's Locker Specifier's Guide and Modular Drawer Cabinet Catalog offers the complete line of products to fit your custom installations!







© 2011 Lyon Workspace Products

Member of:







